

British study shows unknowns of COVID-19 spread

March 25 2020, by Patrick Galey



Researchers at the University of Oxford used mathematical modelling to examine possible infection rates consistent with the number of confirmed COVID-19 cases and deaths in Britain

Authors of headline-grabbing research into how many people in Britain

may already be infected with COVID-19 insisted Wednesday their research showed the need for widespread antibody testing to contain the pandemic.

Researchers at the University of Oxford used mathematical modelling to examine possible infection rates consistent with the number of confirmed COVID-19 cases and deaths in Britain: more than 8,000 and 422 as of Wednesday morning, respectively.

Using several hypothetical transmission rates, the models showed a huge variation in the possible numbers of people who have caught the [deadly virus](#) in Britain and Italy but exhibited no serious symptoms, and so would not be candidates for testing.

One possible outcome, according to the models, was that as of March 19, 2020, 68 percent of the British population could have already caught coronavirus.

That outcome led to headlines suggesting the research, which has yet to be peer-reviewed, indicated that over half of Britons were already infected.

Paul Klenerman, an expert in immunology and [infectious diseases](#) at the University of Oxford, who contributed to the research, told AFP that was not its point.

"The model was just a way of looking at earlier events," he said.

"There were very wide differential outcomes, it wasn't supposed to predict any particular outcome."

Klenerman said that the main goal of the research was to demonstrate the variability of potential infection rates and to emphasise the need for

widespread serologic testing.

This is a form of blood test that scans for antibodies indicating an individual has contracted the virus and developed immunity.

"The point of the paper was that we need to understand the serology," he said.

"Governments in general need to pay attention to this. We'll understand the epidemic better when we have information over who has been exposed and who hasn't.

"It may be that a lot of people have been exposed and it may be that only a few people have been but we can't tell until we start testing people."

'Gross over-interpretation'

Simon Gubbins, group leader in Transmission Biology at The Pirbright Institute, said that the Oxford pre-paper did not indicate that half of Britons were already infected.

"The estimates for the proportion of the population infected depends on the assumptions made about the proportion of the population at risk of severe disease, which is unknown," he said.

Gubbins said the model used in the research was likely to have overestimated the rate of spread as it treated Britain and Italy as "single well-mixed populations" and couldn't account for behavioural changes such as [hand washing](#) and social distancing.

British Health Minister Matt Hancock on Tuesday announced the government had purchased 3.5 million COVID-19 antibody test kits.

James Wood, head of the University of Cambridge's Department of Veterinary Medicine, said the study should "be used to emphasise the need to conduct serological studies in areas where epidemic spread has occurred".

"The current version of the paper does substantially over-speculate and is open to gross over-interpretation by others," he added.

© 2020 AFP

Citation: British study shows unknowns of COVID-19 spread (2020, March 25) retrieved 3 May 2024 from <https://medicalxpress.com/news/2020-03-british-unknowns-covid-.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--