

Understanding how COVID-19 affects children vital to slowing pandemic, doctors say

March 19 2020



Steven L. Zeichner, MD, PhD, is the head of UVA Health's Division of Pediatric Infectious Diseases. Credit: Sanjay Suchak | UVA Communications

Though COVID-19 so far appears to be largely sparing children,



researchers are cautioning that it is critical to understand how the virus affects kids to model the pandemic accurately, limit the disease's spread and ensure the youngest patients get the care they need.

The warning comes from Steven L. Zeichner, MD, Ph.D., the head of UVA Health's Division of Pediatric Infectious Diseases, and Andrea T. Cruz, MD, MPH, a pediatric emergency medicine physician at Houston's Baylor College of Medicine. They have authored a commentary in the journal *Pediatrics* accompanying a new article that reveals a small percentage of infected children become seriously ill. Those at greatest risk include babies and preschoolers.


"Many infectious diseases affect children differently than adults and understanding those differences can yield important insights," the commentary authors write. "This will likely be true for COVID-19, just as it was for older infectious diseases."

Assessing COVID-19 Risks

Zeichner and Cruz note that there are subgroups of children who appear to be at greater risk of COVID-19 complications, particularly those who are younger, immunocompromised or have other pulmonary health problems.

However, the presence of other viral infections in up to two-thirds of childhood <u>coronavirus</u> cases makes it very difficult to assess the true effect of COVID-19 on children, they state. (This figure is based on prior studies of children with coronaviruses detectable in the respiratory tract.)





Lab technicians Hanna Yu (foreground) and Vignesh Rajasekaran work in the lab of UVA's Steven L. Zeichner, MD, PhD. The lab is working to develop a vaccine for COVID-19. Credit: Sanjay Suchak | UVA Communications

While much remains unknown, Cruz and Zeichner caution that children, even asymptomatic children, could play a "major role" in <u>disease</u> <u>transmission</u>. For example, they cite a study that found the virus remained in children's stool for several weeks after diagnosis. That, combined with other routes of transmission such as nasal secretions, could pose a major challenge for schools, day care centers and the children's families, they note.

"Since many children infected with COVID-19 appear to have have mild symptoms, or even no symptoms at all, it is important to practice all the



social distancing, hygiene and other precautions being recommended by public health authorities to minimize transmission from children to others, including family members who may be at greater risk from the infection, such as grandparents or <u>family members</u> with chronic medical conditions," said Zeichner, who is working on innovative potential COVID-19 vaccines in his lab. "In addition, studies of the reasons why <u>children</u> are affected differently than adults by the infection may yield insights that can be helpful in understanding the <u>disease</u> and ways to treat or prevent it."

More information: COVID-19 in Children: Initial Characterization of the Pediatric Disease, *Pediatrics* (2020). DOI: 10.1542/peds.2020-0834

Provided by University of Virginia

Citation: Understanding how COVID-19 affects children vital to slowing pandemic, doctors say (2020, March 19) retrieved 5 May 2024 from https://medicalxpress.com/news/2020-03-covid-affects-children-vital-pandemic.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.