


Some COVID-19 patients still have coronavirus after symptoms disappear: study

March 27 2020



This scanning electron microscope image shows SARS-CoV-2 (yellow)—also known as 2019-nCoV, the virus that causes COVID-19—isolated from a patient, emerging from the surface of cells (blue/pink) cultured in the lab. Credit: NIAID-RML

In a new study, researchers found that half of the patients they treated

for mild COVID-19 infection still had coronavirus for up to eight days after symptoms disappeared. The research letter was published online in the American Thoracic Society's *American Journal of Respiratory and Critical Care Medicine*.

In "Time Kinetics of Viral Clearance and Resolution of Symptoms in Novel Coronavirus Infection," Lixin Xie, MD, Lokesh Sharma, Ph.D., and co-authors report on a study of 16 patients with COVID-19, who were treated and released from the Treatment Center of PLA General Hospital in Beijing between January 28 and Feb. 9, 2020. Patients studied had a median age of 35.5 years.

Researchers collected samples from throat swabs taken from all patients on alternate days and analyzed. Patients were discharged after their recovery and confirmation of negative viral status by at least two consecutive polymerase chain reaction (PCR) tests.

"The most significant finding from our study is that half of the patients kept shedding the virus even after resolution of their symptoms," said co-lead author Dr. Sharma, instructor of medicine, Section of Pulmonary, Critical Care & Sleep Medicine, Department of Medicine, Yale School of Medicine. "More severe infections may have even longer shedding times."

The primary symptoms in these patients included fever, cough, pain in the pharynx (pharyngalgia) and difficult or labored breathing (dyspnea). Patients were treated with a range of medications.

The time from [infection](#) to onset of symptoms (incubation period) was five days among all but one patient. The average duration of symptoms was eight days, while the length of time patients remained contagious after the end of their symptoms ranged from one to eight days. Two patients had diabetes and one had tuberculosis, neither of which affected

the timing of the course of COVID-19 infection.

"If you had mild respiratory symptoms from COVID-19 and were staying at home so as not to infect people, extend your quarantine for another two weeks after recovery to ensure that you don't infect other people," recommended corresponding author Lixin Xie, MD, professor, College of Pulmonary and Critical Care Medicine, Chinese PLA General Hospital, Beijing.

The authors had a special message for the [medical community](#): "COVID-19 patients can be infectious even after their symptomatic recovery, so treat the asymptomatic/recently recovered patients as carefully as symptomatic patients."

The researchers emphasized that all of these patients had milder infections and recovered from the disease, and that the study looked at a small number of patients. They noted that it is unclear whether similar results would hold true for more vulnerable patients such as the elderly, those with suppressed immune systems and [patients](#) on immunosuppressive therapies.

"Further studies are needed to investigate if the real-time PCR-detected virus is capable of transmission in the later stages of COVID-19 infection," Dr. Xie added.

More information: De Chang et al, Time Kinetics of Viral Clearance and Resolution of Symptoms in Novel Coronavirus Infection, *American Journal of Respiratory and Critical Care Medicine* (2020). [DOI: 10.1164/rccm.202003-0524LE](#)

Provided by American Thoracic Society

Citation: Some COVID-19 patients still have coronavirus after symptoms disappear: study (2020, March 27) retrieved 2 May 2024 from <https://medicalxpress.com/news/2020-03-covid-patients-coronavirus-symptoms.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.