

Teens who are bullied struggle with long-term mental health issues

March 24 2020, by Jared Wadley



Credit: CC0 Public Domain

Bullying can make life miserable in the short term for teens, but its impact can also linger into young adulthood, says a University of Michigan researcher.

Much is known about the [negative effects](#) of bullying, ranging from depression to [poor performance](#) in school, but a new study indicates that bullied teens can suffer long-term mental [health](#) problems that last into early adulthood.

How these individuals perceive themselves contributes to these outcomes, said study author Janette Norrington, U-M doctoral student in sociology. The study, which appears in the journal *Youth & Society*, also indicates that verbal abuse and peer harassment are more harmful than physical victimization or social exclusion.

Previous research has shown that youths suffer short-term mental health consequences, but less is known about the negative, long-term impact between the ages 18 to 24.

Norrington used longitudinal data from the Panel Study of Income Dynamics to examine teen self concept as a mediator in the relationship between adolescent peer victimization and psychological distress in emerging adulthood.

Self-concept, which is the image people have of themselves or self worth, is a link between teen bully victimization and later mental health. Bullying includes physically harming, making fun of, excluding, and spreading rumors about a person.

"Bully victimization damages how people view themselves in adolescence and that negative view can linger into [adulthood](#), contributing to poor mental health," she said.

Norrington examined the responses of more than 1,400 adolescents in 2002 and 2007, who were questioned about the frequency that classmates hit them and picked on them, had their things (money and lunch) taken and were left out of friends' activities. In 2009 and 2013, as

adults, they were asked how often in the past month they felt nervous, hopeless, sad and worthless.

Peer victimization was still associated with higher levels of psychological distress, but the impact lessened among those who had high self-esteem, the study found.

Intervention and mental health programs should focus on enhancing the [self-concept](#) of adolescent bully victims, Norrington said. One way to do this would be to emphasize peer support to help youth feel valued and develop self-confidence.

In addition, adult mental health programs can also address former bully [victims'](#) self-concept and help them process their past peer victimizations to improve their [mental health](#), she said.

More information: Janette Norrington. Adolescent Peer Victimization, Self-Concept, and Psychological Distress in Emerging Adulthood, *Youth & Society* (2020). [DOI: 10.1177/0044118X20910938](https://doi.org/10.1177/0044118X20910938)

Provided by University of Michigan

Citation: Teens who are bullied struggle with long-term mental health issues (2020, March 24) retrieved 19 May 2024 from <https://medicalxpress.com/news/2020-03-teens-bullied-struggle-long-term-mental.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.