

Traffic noise might increase diabetes, blood pressure risks

March 9 2020



Alan Schein Photography/Corbis, Getty Images

Navigating through congested road traffic is enough to make even the

most laid-back people lose their cool. As it turns out, just the sound of road noise may increase the risk of developing high blood pressure and diabetes.

That was the finding of researchers who conducted a study of more than 1 million long-term Toronto residents between ages 35 and 100 over a 15-year period.

They found the risk of developing diabetes or [high blood pressure](#) increased as people were chronically exposed to elevated traffic-related [noise](#). For each 10-decibel increase in average traffic noise, there was an 8% increase in new cases of diabetes and a 2% increase in new cases of high blood pressure.

The risks remained heightened even after adjusting for exposure to air pollution and socioeconomic factors, and the link was stronger in women and [younger people](#).

"This may have something to do with people's sensitivity to noise exposure," said the study's senior author Hong Chen, a research scientist with Health Canada and an adjunct scientist with the research institute ICES in Ontario. "For example, [age-related hearing loss](#) may play a role, as typically it is more difficult for relatively older individuals to detect noise."

Chen said noise exposure can instigate multiple stress responses, increasing the level of so-called stress hormones. Repeated exposure over time may contribute to metabolic problems and insulin resistance.

The study, published Monday in the *Journal of the American Heart Association*, is part of a growing body of research about the possible negative [health](#) impacts of traffic noise.

A 2013 *Environmental Health Perspectives* study of Danish people also found each 10-decibel increase in road traffic noise was associated with an increased risk in diabetes.

And in 2017, researchers reported in *Environmental Research* a link between exposure to road, rail and airplane noise and severe hypertension diagnoses that led to heart disease.

These findings are important for a variety of reasons, said Dr. Richard C. Becker, a professor of medicine and director of the University of Cincinnati Heart, Lung & Vascular Institute. He was not involved in the new study.

Becker pointed out that people all around the world are increasingly living in urban areas.

Indeed, according to the United Nations, the world's urban population rose from 751 million in 1950 to 4.2 billion in 2018. Today more than half of people worldwide live in [urban areas](#), a figure the U.N. projects will rise to 68% by 2055.

"This information can inform building codes, city planning, road surface reflection, ground absorption and a variety of things that will minimize exposure to [road traffic](#) noise," Becker said.

He suggested people should be aware of the noise levels when looking for a place to live, and those living in a noisy area minimize their exposure by installing double-paned windows, adding sound-deadening insulation or using earplugs or noise-canceling headphones.

People don't even have to be aware of the noise for it to impact their health, Becker said, pointing out that people who sleep through loud sirens and other urban noises can still experience a stress response.

"It could be that critical parts of the sleep cycle are disturbed or that there are subcortical reflexes to something that the brain is interpreting as potentially harmful," he said.

Chen said additional research is needed to clarify the health effects of noise, particularly when coupled with air pollution, and to better understand the effectiveness of noise mitigation measures in a real-world setting.

"Public health efforts to reduce the exposure of noise to residents may foster a quality residential noise environment, thereby contributing to better health and well-being and a healthier city overall," Chen said.

[American Heart Association News](#) covers heart and brain health. Not all views expressed in this story reflect the official position of the American Heart Association. Copyright is owned or held by the American Heart Association, Inc., and all rights are reserved. If you have questions or comments about this story, please email editor@heart.org.

Citation: Traffic noise might increase diabetes, blood pressure risks (2020, March 9) retrieved 23 April 2024 from <https://medicalxpress.com/news/2020-03-traffic-noise-diabetes-blood-pressure.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--