

I won't have what he's having: The brain and socially motivated behavior

March 27 2020





Monkeys devalue rewards when another monkey gets more than they do. Credit: Atsushi Noritake

How much we value an item is often related to what other people have. You might want the newest fashion, but not once everybody has it. Or, winning a free lunch at your favorite restaurant might not seem as great if the other person won a million dollars. Now, researchers in Japan have discovered a region of the brain that controls these kinds of behaviors in monkeys.

In their study published in *Proceedings of the National Academy of Sciences*, a team of researchers from the National Institutes of Natural Sciences in Okazaki, Japan show that when monkeys think other monkeys will be rewarded, their own rewards become less appealing. This was evident in the amount that monkeys licked their lips while waiting for their reward. The team found that licking increased the more monkeys anticipated receiving a reward and decreased as they anticipated the other monkey would receive it instead.

This behavior was reflected in the brain. As first author Atsushi Noritake explains, "We found a clear link between <u>brain activity</u> in the <u>lateral hypothalamus</u> and the licking behavior that represented subjective value of the reward." The team recorded activity from neurons as monkeys saw pictures that indicated the chance that they or another monkey would receive a reward. The scientists found that for some cells, firing rates increased with the probability of receiving the reward and decreased with the probability that the other monkey would get the reward.

A second experiment showed that the same brain region was necessary for the social observations to affect how much the monkeys valued the



reward. When the scientists temporarily shut down the lateral hypothalamus using an inhibitory drug, the monkeys' licking behavior was unchanged when they anticipated receiving the reward themselves—it still increased with the chance of reward. However, the amount of licking was now unrelated to the chance of reward when they were cued that the other monkey was likely to get it.

This behavior was similar to what happened when the other monkey was prevented from getting the <u>reward</u> or when it was absent altogether.

"Without a functioning lateral hypothalamus, it was as if the <u>monkeys</u> no longer processed what they were seeing as a <u>social situation</u>," says team leader Masaki Isoda. "Thus, we believe that the lateral hypothalamus is necessary for shaping socially motivated <u>behavior</u>, perhaps in coordination with other <u>brain areas</u> such as the medial prefrontal cortex."

More information: Atsushi Noritake et al, Representation of distinct reward variables for self and other in primate lateral hypothalamus, *Proceedings of the National Academy of Sciences* (2020). DOI: 10.1073/pnas.1917156117

Provided by National Institutes of Natural Sciences

Citation: I won't have what he's having: The brain and socially motivated behavior (2020, March 27) retrieved 13 May 2024 from https://medicalxpress.com/news/2020-03-wont-brain-socially-behavior.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.