

Researchers restore injured man's sense of touch using brain-computer interface technology

April 23 2020



Credit: CC0 Public Domain

While we might often take our sense of touch for granted, for researchers developing technologies to restore limb function in people paralyzed due to spinal cord injury or disease, re-establishing the sense

of touch is an essential part of the process. And on April 23 in the journal *Cell*, a team of researchers at Battelle and the Ohio State University Wexner Medical Center report that they have been able to restore sensation to the hand of a research participant with a severe spinal cord injury using a brain-computer interface (BCI) system. The technology harnesses neural signals that are so miniscule they can't be perceived and enhances them via artificial sensory feedback sent back to the participant, resulting in greatly enriched motor function.

"We're taking subperceptual [touch](#) events and boosting them into conscious perception," says first author Patrick Ganzer, a principal research scientist at Battelle. "When we did this, we saw several functional improvements. It was a big eureka moment when we first restored the participant's [sense of touch](#)."

The participant in this study is Ian Burkhart, a 28-year-old man who suffered a spinal cord injury during a diving accident in 2010. Since 2014, Burkhart has been working with investigators on a project called NeuroLife that aims to restore function to his right arm. The device they have developed works through a system of electrodes on his skin and a small computer chip implanted in his motor cortex. This setup, which uses wires to route movement signals from the brain to the muscles, bypassing his spinal cord injury, gives Burkhart enough control over his arm and hand to lift a coffee mug, swipe a credit card, and play Guitar Hero.

"Until now, at times Ian has felt like his hand was foreign due to lack of sensory feedback," Ganzer says. "He also has trouble with controlling his hand unless he is watching his movements closely. This requires a lot of concentration and makes simple multitasking like drinking a soda while watching TV almost impossible."

The investigators found that although Burkhart had almost no sensation

in his hand, when they stimulated his skin, a neural signal—so small it was his brain was unable to perceive it—was still getting to his brain. Ganzer explains that even in people like Burkhardt who have what is considered a "clinically complete" spinal cord injury, there are almost always a few wisps of nerve fiber that remain intact. The *Cell* paper explains how they were able to boost these signals to the level where the brain would respond.

The subperceptual touch signals were artificially sent back to Burkhardt using [haptic feedback](#). Common examples of haptic feedback are the vibration from a mobile phone or game controller that lets the user feel that something is working. The new system allows the subperceptual touch signals coming from Burkhardt's skin to travel back to his brain through artificial haptic feedback that he can perceive.

The advances in the BCI system led to three important improvements. They enable Burkhardt to reliably detect something by touch alone: in the future, this may be used to find and pick up an object without being able to see it. The system also is the first BCI that allows for restoration of movement and touch at once, and this ability to experience enhanced touch during movement gives him a greater sense of control and lets him to do things more quickly. Finally, these improvements allow the BCI system to sense how much pressure to use when handling an object or picking something up—for example, using a light touch when picking up a fragile object like a Styrofoam cup but a firmer grip when picking up something heavy.

The investigators' long-term goal is to develop a BCI system that works as well in the home as it does in the laboratory. They are working on creating a next-generation sleeve containing the required electrodes and sensors that could be easily put on and taken off. They also aim to develop a system that can be controlled with a tablet rather than a computer, making it smaller and more portable.

"It has been amazing to see the possibilities of sensory information coming from a device that was originally created to only allow me to control my hand in a one-way direction," Burkhart says.

More information: *Cell*, Ganzer et al.: "Restoring the Sense of Touch Using a Sensorimotor Demultiplexing Neural Interface"

[www.cell.com/cell/fulltext/S0092-8674\(20\)30347-0](http://www.cell.com/cell/fulltext/S0092-8674(20)30347-0) , DOI: [10.1016/j.cell.2020.03.054](https://doi.org/10.1016/j.cell.2020.03.054)

Provided by Cell Press

Citation: Researchers restore injured man's sense of touch using brain-computer interface technology (2020, April 23) retrieved 26 April 2024 from <https://medicalxpress.com/news/2020-04-brain-computer-interface-technology.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.