


Limited supply may scupper proposals to use antimalarials to ward off Covid-19

April 2 2020



Credit: CC0 Public Domain

Limited global supplies may scupper proposals to use the antimalarial drugs, chloroquine and hydroxychloroquine, to lessen the symptoms of Covid-19 infection or ward it off altogether, say Italian doctors in a

letter published online today in the *Annals of the Rheumatic Diseases*.

The results of preliminary lab tests have prompted scientists to propose that these drugs be used to treat patients with pneumonia caused by Covid-19 infection. This approach has already been included in Chinese guidelines on how best to manage the disease.

Various studies over the past decade have shown that antimalarial drugs can lessen the impact of viral infections, including Covid-19. And clinical trials are now under way to see whether these drugs might help ward off the disease altogether.

Chloroquine and hydroxychloroquine have been used to treat autoimmune disease, including [rheumatic diseases](#), since the 1940s, and have proved safe and well tolerated in most cases, say the authors.

Side effects are generally mild to moderate, with serious complications, such as retinal and cardiac damage, rare and related to cumulative doses over a long period of time.

There is an ethical issue, however, as there is as yet no hard evidence from [clinical trials](#) that these drugs can prevent the spread of Covid-19, they point out.

"Is it permissible to take a controlled risk in the event of a pandemic?" they ask. "In such a case: would it be reasonable to consider antimalarials as primary prophylaxis in healthy subjects living in highest risk regions or, at least, to use them in those testing positive for Covid-19, but still asymptomatic?"

The safety and effectiveness of these drugs makes them good candidates for mass preventive treatment programmes, they add, and scientists seem to be leaning towards adopting this approach.

But, conclude the authors: "If mass prophylaxis was accepted as an option worldwide, this would raise the question of whether there is enough supply of [chloroquine] and [hydroxychloroquine] to support this approach."

The European League Against Rheumatism (EULAR), which co-owns the *Annals of the Rheumatic Diseases* with BMJ, says that the use of these drugs to tackle Covid-19 could have serious implications for people with rheumatic diseases across Europe.

EULAR President, Professor Iain McInnes, says that global efforts to boost the evidence base for the use of these [antimalarial drugs](#) to treat Covid-19 are extremely welcome.

But he adds: "EULAR is concerned, however, that the diversion of [drug](#) supplies away from people with rheumatic and musculoskeletal diseases may compromise the health of this important and sizeable group of patients in Europe and beyond."

EULAR's patient membership group (PARE) is now calling on the manufacturers of these drugs to rapidly increase production to meet the projected surge in demand.

"A balanced approach that meets the imperatives of the ongoing pandemic, but which also takes account of the needs of patients already taking these drugs is essential," insists Professor McInnes.

More information: To consider or not antimalarials as a prophylactic intervention in the SARS-CoV-2 (Covid-19) pandemic, *Annals of the Rheumatic Diseases* (2020). [DOI: 10.1136/annrheumdis-2020-217367](https://doi.org/10.1136/annrheumdis-2020-217367)

Provided by British Medical Journal

Citation: Limited supply may scupper proposals to use antimalarials to ward off Covid-19 (2020, April 2) retrieved 25 April 2024 from <https://medicalxpress.com/news/2020-04-limited-scupper-antimalarials-ward-covid-.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.