

Measuring maternal grief in Africa

April 28 2020, by Emily Smith-Greenaway and Jenny Trinitapoli



Credit: AI-generated image (disclaimer)

Most parents living in industrialized countries today reasonably presume that <u>all their children will survive childhood</u>.

But <u>child death</u> remains woefully common in some parts of the world. A baby born in certain sub-Saharan African countries is roughly 20 times more likely to die in <u>early childhood</u> than a <u>baby born in North America</u> <u>or Western Europe</u>.



Our recent <u>study</u> measures the proportion of <u>parents</u> who've lost a child. Academic research on child <u>death</u> typically focuses on an individual child's risk of death, so examining this tragedy from the perspective of parents is a new approach.

To determine how many parents have lost <u>children</u>, we used <u>Demographic and Health Survey Program data</u> to track 30-year trends in 20 sub-Saharan African countries with the highest child mortality rates. These surveys have collected detailed reproductive histories from women for decades, allowing us to evaluate the experiences of mothers over time.


We found that <u>more than 20% of all young mothers</u> across West, Central, East and Southern Africa have lost a child under the age of 5, primarily due to infectious and waterborne diseases. Among older mothers aged 45 or higher, 25% to 50% have lost a <u>young child</u>.

Data from the West African countries of Mali, Liberia, and Nigeria, as well as from three southern and eastern African countries—Malawi, Rwanda and Uganda—is even more staggering. In those places, up to one in five mothers has suffered the death of two children. Some have lost more than two children.

Why it matters

The death of a child is an excruciating and enduring event that affects parents in lasting ways.





Credit: AI-generated image (disclaimer)

Bereaved parents have an <u>elevated risk of depression</u>, <u>anxiety</u> and an <u>array of physical health problems</u>, from cardiovascular disease to early death. The stress of losing a child also <u>strains marriages</u>, leading to more conflict, intimate partner violence, divorce and abandonment.

Quantifying how many mothers have lost a child gives us a sense of these individual and collective strains in a given place. In our paper, which published in the *Proceedings of the National Academy of Sciences* journal in February, we call this collective grief the parental "bereavement burden."

That measure, in turn, tells us something important about the broader social context for all women. In places where infant and child death rates are high, the fear of losing a child is acute. Even women who have not



lost a child worry that they will.

Maternal grief, in other words, is a shared phenomenon that affects how all women in a society navigate major life decisions.

For example, fertility researchers know that if mothers anticipate the loss of their own children—both current and future—they will have more children. Using contraception to plan for small families—assuming it is available—is a luxury reserved for those who can reasonably think all the children they give birth to will survive.

What still isn't known

In the shadows of the high child mortality rates are millions of grieving mothers who bear the personal, social and marital costs of a child's death.

Yet this population receives very little scholarly or political attention. In some sub-Saharan African countries, that's more than half of all women who are invisibly suffering the bereavement burden.

Our study illustrates the pressing need to understand the mother's experience of <u>child</u> death and incorporate grief into a country's public health considerations.

This article is republished from <u>The Conversation</u> under a Creative Commons license. Read the <u>original article</u>.

Provided by The Conversation

Citation: Measuring maternal grief in Africa (2020, April 28) retrieved 26 April 2024 from https://medicalxpress.com/news/2020-04-maternal-grief-africa.html



This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.