

Nasal biomarkers predict severity of pollenspecific allergy symptoms

April 29 2020



Credit: CC0 Public Domain

For people with allergies, contact with pollen leads to symptoms such as



sneezing, rhinitis and watery eyes. This may sound trivial, but is in fact a complex correlation of physiological processes. As these have not yet been fully understood, we do not know exactly yet how allergies develop and how the symptoms are triggered.

Symptoms can be predicted in advance

A research group led by the Institute of Environmental Medicine at Helmholtz Zentrum München and Technical University of Munich (Research Association UNIKA-T), examined patients with polleninduced <u>allergic rhinitis</u> and people without <u>allergy</u> over a period of one year. In addition to a digital symptom diary kept daily by the study participants, the researchers took samples of blood and nasal secretion. They then compared the immune variables (cytokines, chemokines and pollen-specific immunoglobulins) in these samples during and after the pollen season. As a result, they identified the endogenous messenger substances IL-8 and IL-33 as well as the antibodies sIgG4 and sIgE as biomarkers (= measurable characteristics with relevance for biological processes). These biomarkers show a significant correlation with pollenspecific nasal symptoms (proven by Spearman's rank correlation coefficient). The researchers were now able to predict the severity of the symptoms even before the start of the pollen season based on the expression rate of these biomarkers in people with and without allergy, independent of their individual genetic disposition.

Multiple applications for biomarkers

Mehmet Gökkaya, researcher at UNIKA-T and first author of the study: "The identification of biomarkers helps us in three ways. Firstly, by predicting the severity of nasal symptoms we can better identify the patients who benefit the most from therapeutic treatment. Secondly, biomarkers can help us understand the processes at work during the



development of allergies in non-allergic patients and so help us to be ultimately able to prevent them. And thirdly, biomarkers can be used to identify the physiological processes that originally cause these symptoms. Possibly this could be a new starting point for the development of novel therapeutics."

More information: Mehmet Gökkaya et al, Defining biomarkers to predict symptoms in subjects with and without allergy under natural pollen exposure, *Journal of Allergy and Clinical Immunology* (2020). DOI: 10.1016/j.jaci.2020.02.037

Provided by Helmholtz Association of German Research Centres

Citation: Nasal biomarkers predict severity of pollen-specific allergy symptoms (2020, April 29) retrieved 7 May 2024 from <u>https://medicalxpress.com/news/2020-04-nasal-biomarkers-severity-pollen-specific-allergy.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.