

Governments urged to act now to prevent coronavirus suicide risk

April 22 2020



Credit: CC0 Public Domain

Governments need to give 'urgent consideration' to their public health response to prevent any possible impact of the coronavirus pandemic on the number of suicides, experts warn.



There is growing concern about the far-reaching impact COVID-19 may have on people's mental health across the globe, with the consequences likely to be present for longer and peak later than the actual pandemic.

Forty-two researchers from around the world, including Professor David Gunnell from the University of Bristol, have formed the International COVID-19 Suicide Prevention Research Collaboration.

Writing in *The Lancet Psychiatry*, they say an increase in suicides is not inevitable—provided preventive action is taken imminently.

Examples of interventions include developing clear care pathways for people who are suicidal, remote or digital assessments for people under mental health care, staff training to support new ways of working, support for helplines, providing easily accessible help for those who have lost a loved one to the virus, the provision of financial safety nets and labor market programs, and dissemination of evidence-based online interventions.

In their comment for The Lancet Psychiatry, the authors write: "Suicide is likely to become a more pressing concern as the pandemic spreads and has longer-term effects on the general population, the economy and vulnerable groups.

"Preventing <u>suicide</u> therefore needs urgent consideration. The response must capitalize on, but extend beyond, general mental health policies and practices."

Those with <u>psychiatric disorders</u> might experience worsening symptoms and others might develop new mental health problems, especially depression, anxiety and post-traumatic stress.

Loss of employment and financial worries may contribute to feelings of



hopelessness. In addition to providing financial safety nets in the short-term, researchers highlight that active labor market programs will be 'crucial' in the long-term.

As <u>domestic violence</u> cases increase, academics recommend public health responses must ensure that those facing domestic violence are supported and that safe drinking messages are communicated.

The global group of experts conclude in *The Lancet Psychiatry*: "These are unprecedented times. The pandemic will cause distress and leave many vulnerable. Mental health consequences are likely to be present for longer and peak later than the actual pandemic.

"However, research evidence and the experience of national strategies provide a strong basis for suicide prevention. We should be prepared to take the actions highlighted here, backed by vigilance and international collaboration."

Additional efforts may be required in some lower income countries with fewer public health resources and inadequate welfare support. Other concerns in these countries include the social effects of banning religious gatherings and funerals, domestic violence, and vulnerable migrant workers.

The International COVID-19 Suicide Prevention Research Collaboration also reiterate how irresponsible media reporting of suicide can encourage further suicides. Journalists should ensure that reporting follows existing and COVID-19-specific guidelines [PDF].

Professor David Gunnell, from the University of Bristol, established the International COVID-19 Suicide Prevention Research Collaboration. He said: "It is hard to predict what impact the <u>pandemic</u> will have on suicide rates, but given the range of concerns, it is important to be prepared and



take steps to mitigate risk as far as possible."

More information: David Gunnell et al. Suicide risk and prevention during the COVID-19 pandemic, *The Lancet Psychiatry* (2020). DOI: 10.1016/S2215-0366(20)30171-1

Provided by University of Bristol

Citation: Governments urged to act now to prevent coronavirus suicide risk (2020, April 22) retrieved 27 April 2024 from

https://medicalxpress.com/news/2020-04-urged-coronavirus-suicide.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.