


How do viruses mutate and jump species? And why are 'spillovers' becoming more common?

April 6 2020, by Steve Wylie



Credit: AI-generated image ([disclaimer](#))

Viruses are little more than parasitic fragments of [RNA or DNA](#). Despite this, they are [astonishingly abundant](#) in number and [genetic diversity](#). We don't know how many virus species there are, but there could be [trillions](#).

Past viral epidemics have influenced the evolution of all life. In fact, about [8% of the human genome](#) consists of retrovirus fragments. These genetic "fossils" are leftover from viral epidemics our ancestors survived.

COVID-19 reminds us of the devastating impact viruses can have, not only on humans, but also [animals](#) and [crops](#). Now for the first time, the disease has been [confirmed in a tiger](#) at New York's Bronx Zoo, believed to have been infected by an employee. Six other tigers and lions were also reported as "showing symptoms".

[According to the BBC](#), conservation experts think COVID-19 could also threaten animals such as wild gorillas, chimps and orangutans.

While virologists are intensely interested in how viruses mutate and transmit between species—and understand this process to an extent—many gaps in knowledge remain.

Skilled in their craft

Most viruses are specialists. They establish long associations with preferred [host](#) species. In these relationships, the virus may not induce disease symptoms. In fact, the virus and host may [benefit each other in symbiosis](#).

Occasionally, viruses will "emerge" or "spillover" from their original host to a new host. When this happens, the risk of disease increases. Most infectious diseases that affect [humans](#) and our food supply are the result of spillovers from wild organisms.

The new coronavirus (SARS-CoV-2) that emerged from Wuhan in November isn't actually "new". The virus evolved over a long period, probably [millions of years](#), in other species where it still exists. We know

the virus has close relatives in Chinese rufous horseshoe bats, intermediate horseshoe bats, and [pangolins](#) - which are [considered a delicacy in China](#).

Past coronaviruses, including the severe acute respiratory syndrome coronavirus (SARS-CoV), have jumped from bats to humans via an intermediary mammal. Some experts propose [Malayan pangolins provided SARS-CoV-2 this link](#).

Although the original host of the SARS-CoV-2 virus hasn't been identified, we needn't be surprised if the creature [appears perfectly healthy](#). Many other coronaviruses [exist naturally](#) in wild mammal and bird populations around the world.

Where do they keep coming from?

Human activity drives the emergence of new pathogenic (disease-causing) viruses. As we push back the boundaries of the last wild places on Earth—felling the bush for farms and plantations—viruses from wildlife interact with [crops](#), [farm animals](#) and people.

Species that evolved separately are now mixing. Global markets allow the free trade of live animals (including their eggs, semen and meat), vegetables, [flowers](#), [bulbs and seeds](#) – and viruses come along for the ride.

Humans are also warming the climate. This allows certain species to [expand their geographical range](#) into zones that were previously too cold to inhabit. As a result, many viruses are meeting new hosts for the first time.



Credit: Myburgh Roux from Pexels

How do they make the jump?

Virus spillover is a complex process and not fully understood. In nature, most viruses are confined to particular hosts because of specific protein "lock and key" interactions. These are needed for successful replication, movement within the host, and transmission between hosts.

For a virus to infect a new host, some or all protein "keys" may need to be modified. These modifications, called "mutations", can occur within the old host, the new one, or both.

For instance, a virus can jump from host A to host B, but it won't replicate well or transmit between individuals unless multiple protein keys mutate either simultaneously, or consecutively. The low probability of this happening makes spillovers uncommon.

To better understand how spillovers occur, imagine a virus is a short story printed on a piece of paper. The story describes:

1. how to live in a specific cell type, inside a specific host
2. how to move to the cell next door
3. how to transmit to a new individual of the same species.

The short story also has instructions on how to make a virus photocopying machine. This machine, an enzyme called a [polymerase](#), is supposed to churn out endless identical copies of the story. However, the polymerase occasionally makes mistakes.

It may miss a word, or add a new word or phrase to the story, subtly changing it. These changed virus stories are called "mutants". Very occasionally, a mutant story will describe how the virus can live inside a totally new host species. If the mutant and this new host meet, a spillover can happen.

We can't predict virus spillovers to humans, so developing vaccines preemptively isn't an option. There has been ongoing discussions of a "[universal flu vaccine](#)" which would provide immunity against all influenza virus mutants. [But so far](#) this hasn't been possible.

Let wildlife be wildlife

Despite how many viruses exist, relatively few threaten us, and the plants and animals we rely on.

Nonetheless, some creatures are especially dangerous on this front. For instance, coronaviruses, Ebola and [Marburg viruses](#), [Hendra and Nipah viruses](#), [rabies-like lyssaviruses](#), and [mumps/measles-like paramyxoviruses](#) all originate from [bats](#).

Given the enormous number of viruses that exist, and our willingness to provide them global transport, future spillovers are inevitable. We can reduce the chances of this by practising better [virus](#) surveillance in hospitals and on farms.

We should also recognise wildlife, not only for its intrinsic value, but as a potential source of disease-causing [viruses](#). So let's maintain a "social distance" and leave wildlife in the wild.

This article is republished from [The Conversation](#) under a Creative Commons license. Read the [original article](#).

Provided by The Conversation

Citation: How do viruses mutate and jump species? And why are 'spillovers' becoming more common? (2020, April 6) retrieved 2 May 2024 from <https://medicalxpress.com/news/2020-04-viruses-mutate-species-spillovers-common.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.