

Coronavirus found in patients' semen in small Chinese study

May 7 2020, by Lindsey Tanner



This transmission electron microscope image shows SARS-CoV-2 -- also known as 2019-nCoV, the virus that causes COVID-19 -- isolated from a patient in the US. Virus particles are shown emerging from the surface of cells cultured in the

lab. The spikes on the outer edge of the virus particles give coronaviruses their name, crown-like. Credit: NIAID-RML

The virus that causes COVID-19 can be found in semen, Chinese researchers report in a small study that doesn't address whether sexual transmission is possible.

Doctors detected the virus in semen from six of 38 men hospitalized with laboratory-confirmed COVID-19. Four were still very sick with the disease while two were recovering.

The report from Shangqiu Municipal Hospital in China was published Thursday in *JAMA Network Open*.

There was no long-term follow-up so it is not known how long the virus may remain in semen or if men can spread it to their partners during sex.

The results contrast with a study of 34 Chinese men with COVID-19 published last month in the journal *Fertility and Sterility*. U.S. and Chinese researchers found no evidence of virus in semen tested between eight days and almost three months after diagnosis.

Dr. John Hotaling of the University of Utah, co-author of that report, said the new study involved much sicker men, most with active disease.

Authorities believe the coronavirus mainly spreads from droplets produced when infected people cough, which are inhaled by people nearby.

Some studies have reported finding the virus in blood, feces and tears or other fluid from COVID-19 patients with inflammation in their eyes.

Evidence suggesting that other infectious viruses including Zika and Ebola may be sexually transmitted has prompted questions about the coronavirus.

Hotaling said it's an important public health concern but that more research is needed to provide a definitive answer.

The American Society for Reproductive Medicine said the new study shouldn't be cause for alarm. To be safe, though, "it may be wise to avoid sexual contact with men until they are 14 days without symptoms," Dr. Peter Schlegel, the group's immediate past president, said in a statement.

More information: Diangeng Li et al. Clinical Characteristics and Results of Semen Tests Among Men With Coronavirus Disease 2019, *JAMA Network Open* (2020). [DOI: 10.1001/jamanetworkopen.2020.8292](https://doi.org/10.1001/jamanetworkopen.2020.8292)

© 2020 The Associated Press. All rights reserved. This material may not be published, broadcast, rewritten or redistributed without permission.

Citation: Coronavirus found in patients' semen in small Chinese study (2020, May 7) retrieved 2 May 2024 from <https://medicalxpress.com/news/2020-05-coronavirus-semen-infected-men-chinese.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.