

A new method to treat insomnia

May 29 2020



Credit: CC0 Public Domain

Insomnia disorder is the second-most common mental health problem and a major risk factor for depression. Cognitive behavioral therapy for insomnia (CBTi) is the treatment of choice and has successfully been provided through the Internet (ICBTi). Unfortunately, the intervention is not sufficiently effective for all people that suffer from insomnia. A less

studied type of intervention for insomnia, which might provide additional improvement if effective, is chronobiological treatment. Chronobiological treatment aims to enhance the entrainment and amplitude of the biological clock by utilizing its sensitivity to, and interaction with, regularly timed bright light, physical activity or body warming.

This study evaluates the individual, additive and interaction effects of chronobiological treatment and [internet](#) based CBTi in 175 adults with insomnia. Participants did not use [sleep medication](#) daily nor performed shift work.

Results showed that internet based CBTi increased [sleep efficiency](#) by 6.69%. While at 5 weeks follow up, sleep efficiency was not affected by any chronobiological treatment, a noticeable effect of combining internet based CBTi emerged after 10 weeks when sleep efficiency increased by 12.89%. The increase was almost twice the increase seen in participants who had received internet based CBTi in combination with placebo. In addition, adding chronobiological treatment to internet based CBTi resulted in significant further benefits after 10 weeks, such as a 23.60% decrease in sleep onset latency and a 64% decrease in wake after sleep onset.

These findings suggest that adding chronobiological treatment to internet based CBTi bring benefits that appeared in the follow-up assessment in the sixth week after completing the interventions. Those that received internet based CBTi in combination with any active chronobiological treatment better maintained their initial gain in sleep efficiency by 6%, fell asleep more easily by 23 min, had less nocturnal wakefulness by 51 min and slept longer by 32 min. The value of adding chronobiological treatment also seems clinically relevant, notably because of the half hour of extra sleep it entails.

More information: Kim Dekker et al. Combined Internet-Based Cognitive-Behavioral and Chronobiological Intervention for Insomnia: A Randomized Controlled Trial, *Psychotherapy and Psychosomatics* (2019). DOI: [10.1159/000503570](https://doi.org/10.1159/000503570)

Provided by Journal of Psychotherapy and Psychosomatics

Citation: A new method to treat insomnia (2020, May 29) retrieved 7 May 2024 from <https://medicalxpress.com/news/2020-05-method-insomnia.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.