

# Researchers testing northern Arizona wastewater for early warning of COVID-19 outbreaks

May 11 2020, by Bonnie Stevens and Kerry Bennett

---



Credit: Northern Arizona University

With the ongoing challenges associated with large-scale testing for COVID-19—including test kit shortages, stringent testing criteria and

the inherent limitations of current tracking systems on mildly symptomatic and asymptomatic populations, scientists are looking for alternate methods to boost testing in order to predict the spread of the disease. Crystal Hepp, an assistant professor in NAU's School of Informatics, Computing, and Cyber Systems (SICCS), is testing wastewater in northern Arizona communities to help determine the spread of SARS-CoV-2, the virus that causes COVID-19. Because the virus is shed in human waste, she believes sewage is a viable avenue for its detection.

While scientists predict second or even multiple COVID-19 outbreaks, Hepp believes wastewater testing may function as an early and ongoing warning system, especially in rural communities underserved by [health care workers](#) and medical facilities, and can alert wastewater plant operators to elevated risks.

"It will be critical to continue surveillance activities that can assist in developing dynamic regional intervention strategies," Hepp said. "To be sustainable during an outbreak of this magnitude, a more robust, feasible and human-independent method of community sampling needs to be implemented."

Currently, Hepp and her team are testing influent (untreated) and effluent (treated) samples weekly at six locations in Flagstaff, Munds Park, Kachina Village and Kayenta, located within the Navajo Nation. Collaborators in the project include the City of Flagstaff, Pinewood Sanitary District, Kachina Village Improvement District, the Navajo Tribal Utility Authority and TGen-North.

Doctoral student Jill Cocking, a senior research specialist in the Hepp Lab, leads the laboratory component of the work and treats each sample as though it is infectious.

"I take this material and remove the nucleic acids," Cocking said. "COVID-19 is an RNA [virus](#) (a virus that has ribonucleic acid as its [genetic material](#)), so the next step is to turn the RNA into DNA so it can be detected by an assay designed by the Centers for Disease Control and Prevention. The assay makes copies of the genetic material until there's enough to detect it with our instruments. If the [coronavirus](#) is present in the wastewater, this analysis will let us know."

Samples from three influent wastewater sites tested positive in early April. Hepp, an assistant director at NAU's Pathogen and Microbiome Institute (PMI), noted the team has not found any positive cases in effluent, indicating the wastewater plant process is effective in treating the virus. The researchers will conduct genetic sequencing analysis on positive samples in influent to look for different strains.

"The virus is always evolving," Hepp said. "There are always new strains that could be arising. If we find several different strains with different mutations, that would indicate the virus has had more of a chance to mutate over time within the population or that new introductions have occurred. A higher number of strains at any given time may indicate more infected individuals."

Hepp is working with Jason Sahl, an assistant director of PMI, who will use his established genomics pipeline, WG-FAST, to examine strain diversity.

"Our WG-FAST approach can provide strain level identification of virus, identify strain mixtures and match clinical and [wastewater](#) samples," Sahl said. "This approach can identify circulating viruses without the need to sample humans directly and will independently identify cases. It also can catch COVID-19 cases that may not present to the hospital and could alert public health agencies on circulating [strains](#), which will help with contact tracing and inform the public on new waves

of COVID-19 in their communities."

"This sequencing analysis will help us understand the circulating strain in a community, the overall diversity of the virus and how that changes between different locales and at different times of the year," said Dave Engelthaler, associate professor and TGen-North director.

Provided by Northern Arizona University

Citation: Researchers testing northern Arizona wastewater for early warning of COVID-19 outbreaks (2020, May 11) retrieved 6 May 2024 from <https://medicalxpress.com/news/2020-05-northern-arizona-wastewater-early-covid-.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--