

World-first saliva test detects hidden throat cancer

May 12 2020



Credit: Queensland University of Technology

A simple saliva test developed by QUT biomedical scientists has detected early throat cancer in a person who had no symptom and no clinical signs of cancer.

In what is believed to be a world-first, the [non-invasive test](#) picked up HPV-DNA in a saliva sample from an infected healthy person. Persistent human papillomavirus (HPV) infection is now the leading cause of cancers in the oropharynx (tonsils and tongue base area of the throat).

"The series of saliva tests raised the alert and detected an early [cancer](#) before the person had any symptoms," said QUT Faculty of Health's Associate Professor Chamindie Punyadeera, who, with Dr. Kai Tang, developed the test.

"This enabled removal of the tonsil which had a 2mm cancer in it, by straightforward local surgery alone.

"The incidence of high-risk human papillomavirus (HPV)-driven throat cancers is on the rise in developed countries and, unfortunately, it is often discovered only when it is more advanced, with patients needing complicated and highly impactful treatment.

"In the US, HPV-driven throat cancers have surpassed cervical cancers as the most common cancer caused by HPV but unlike cervical cancer, up until now, there has been no screening test for this type of oropharyngeal cancer."

Professor Punyadeera said the discovery was made during an HPV-prevalence study which included 665 healthy individuals.

"To take the test all the person has to do is give a salivary oral rinse sample. When the test shows HPV-16 DNA, it is repeated and if the presence of HPV-16 is persistent over a period of time we would be suspicious that there may be underlying cancer.

"The person whom we reported in this study had been consistently HPV-16 DNA positive for 36 months, with a steadily rising count of

HPV-16 DNA after testing at 6, 12 and 36 months.

"The patient was found to have a 2mm [squamous cell carcinoma](#) in the left tonsil, treated by tonsillectomy. This has given our patient a high chance of cure with very straightforward treatment.

"Since the surgery, the patient has had no evidence of HPV-16 DNA in his saliva."

Professor Punyadeera said this was the first-ever case of histologically confirmed diagnosis of an asymptomatic, hidden throat cancer, diagnosed with a [saliva](#) screening test and that wider validation studies were required to confirm this finding.

"The presence of this pattern of elevated salivary HPV-DNA must be fully evaluated, as it may provide the critical marker for early cancer detection.

"We now have the promise of a screening test for oropharynx cancer and there is an urgent need to undertake a major study to validate this [test](#) and the appropriate assessment pathway for people with persisting salivary HPV-DNA."

More information: Kai Dun Tang et al, An Occult HPV-Driven Oropharyngeal Squamous Cell Carcinoma Discovered Through a Saliva Test, *Frontiers in Oncology* (2020). [DOI: 10.3389/fonc.2020.00408](https://doi.org/10.3389/fonc.2020.00408)

Provided by Queensland University of Technology

Citation: World-first saliva test detects hidden throat cancer (2020, May 12) retrieved 9 May 2024 from <https://medicalxpress.com/news/2020-05-world-first-saliva-hidden-throat-cancer.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.