

New approach for a biological programming language

June 23 2020

```

43 <body <?php body_class()>
44 <div id="fb-root"></div>
45 <script>(function(d, s, id) {
46   var js, fjs = d.getElementsByTagName(s)[0];
47   if (d.getElementById(id)) return;
48   js = d.createElement(s); js.id = id;
49   js.src = "//connect.facebook.net/en_US/sdk.js#xfbml=1&version=v2.6&appId=2880444326817";
50   fjs.parentNode.insertBefore(js, fjs);
51 })(document, 'script', 'facebook-jssdk');</script>
52 <div id="page" class="site">
53   <a class="skip-link screen-reader-text" href="#content"><?php esc_html_e('Skip to content', 'wordpress'); ?></a>
54   <header id="masthead" class="site-header" role="banner">
55     <div class="site-branding">
56       <div class="navBtn pull-left">
57         <?php if(is_home() && $xpanel['homepage-style'] == 1) { ?>
58         <a href="#" id="openMenu"><i class="fa fa-bars fa-3x"></i></a>
59         <?php } else { ?>
60         <a href="#" id="openMenu2"><i class="fa fa-bars fa-3x"></i></a>
61         <?php } ?>
62       </div>
63       <div class="logo pull-left">
64         <a href="<?php echo esc_url( home_url() ) ?>">
65           
66         </a>
67       </div>
68       <div class="search-box hidden-xs hidden-sm pull-left ml-10">
69         <?php get_search_form(); ?>
70       </div>
71       <div class="submit-btn hidden-xs hidden-sm pull-left ml-10">
72         <a href="<?php echo get_page_link($xpanel['submit-link']) ?>" class="header-submit-btn"><i class="fa fa-search fa-3x"></i></a>
73       </div>
74       <div class="user-info pull-right mr-10">
75         <?php
76         if ( is_user_logged_in() ) {
           current_user();
         }
       </div>
     </div>
   </div>

```

Credit: Pixabay/CC0 Public Domain

New findings by researchers led by TU Graz computer scientists Wolfgang Maass and Robert Legenstein on neural information processing in the brain could enable more efficient AI methods.

Specifically, the researchers have succeeded in mathematically modeling the emergence and interaction between so-called "assemblies". These are

neuron groups in the brain that form the basis for higher cognitive abilities such as thinking, imagining, arguing, planning or speech processing.

Better understanding of how the brain works

The Canadian neuroscientist Donald H. Hebb postulated as early as 1949 that neurons form such groups, in other words that they act together to encode individual words or symbols, as well as holistic "concepts".

"However, the existence of assemblies has only become more consolidated in recent years, and our models are based on the latest results from [brain research](#)," explains Maass.

Assemblies are flowing entities that constantly reorganize themselves to process environmental stimuli, give them a symbolic meaning, structure them and transform them into knowledge. This adaptability—also called plasticity—provides the brain with the ability to get over its limited processing capacity and form an "unlimited" number of patterns.

The results not only contribute to a better understanding of the brain, they could also lead to efficient new AI methods as they combine the advantages of two main approaches to AI research: the symbolic and the connectionist.

Symbolic vs. connectionist information processing

Algorithms in symbol systems are based on defined rules (if/then commands) and logical formulas, and are persuasive through their ability to abstract: i.e. the ability to generalize and to apply general contexts to concrete facts. For this reason they are optimally suited for easy application to completely new situations. However, symbol-based systems must be programmed in a complex way and cannot be trained

for demanding applications by means of large amounts of data, as is possible with [neural networks](#). The latter consist of small, networked and adaptive computing units that are self-organizing and can quickly solve complex problems when working together. The learning ability of neural networks has made the connectionist approach more attractive for current AI research and for modern AI applications. However, neural networks have difficulties with tasks that did not occur in their training set.

Human brain architecture for machines

The assembly models presented now aim to combine the ability to abstract with the ability to learn. "These are neural networks that work symbolically with their assemblies. The paradigm we use is the human brain, which also combines both," said Legenstein.

The work, which also involves researchers from the University of Nottingham, the University of California, Berkeley, and the Georgia Institute of Technology, is being partially incorporated into the Human Brain Project (HBP) – a Europe-wide interdisciplinary research association that has been working since 2015 on electronically reconstructing the human [brain](#) and simulating its functions. Wolfgang Maass and his team are responsible for the Principles of Brain Computation work package in the Human Brain Project.

More information: Christoph Pokorny et al. STDP Forms Associations between Memory Traces in Networks of Spiking Neurons, *Cerebral Cortex* (2019). [DOI: 10.1093/cercor/bhz140](https://doi.org/10.1093/cercor/bhz140)

Michael G. Müller et al. A Model for Structured Information Representation in Neural Networks of the Brain, *eneuro* (2020). [DOI: 10.1523/ENEURO.0533-19.2020](https://doi.org/10.1523/ENEURO.0533-19.2020)

Provided by Graz University of Technology

Citation: New approach for a biological programming language (2020, June 23) retrieved 26 April 2024 from <https://medicalxpress.com/news/2020-06-approach-biological-language.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.