


Declining eyesight improved by looking at deep red light

June 29 2020



Example of hand held LED torch used in study. Credit: UCL

Staring at a deep red light for three minutes a day can significantly

improve declining eyesight, finds a new UCL-led study, the first of its kind in humans.

Scientists believe the discovery, published in the *Journals of Gerontology*, could signal the dawn of new affordable home-based eye therapies, helping the millions of people globally with naturally declining vision.

In the UK there are currently around 12 million people aged over 65: in 50 years this will increase to around 20 million and all will have some degree of visual decline because of retinal aging.

Lead author, Professor Glen Jeffery (UCL Institute of Ophthalmology) said: "As you age your visual system declines significantly, particularly once over 40.

"Your retinal sensitivity and your [color vision](#) are both gradually undermined, and with an [aging population](#), this is an increasingly important issue.

"To try to stem or reverse this decline, we sought to reboot the retina's aging cells with short bursts of longwave light."

In humans around 40 years-old, cells in the eye's retina begin to age, and the pace of this aging is caused, in part, when the cell's mitochondria, whose role is to produce energy (known as ATP) and boost cell function, also start to decline.

Mitochondrial density is greatest in the retina's [photoreceptor cells](#), which have high energy demands. As a result, the retina ages faster than other organs, with a 70% ATP reduction over life, causing a significant decline in photoreceptor function as they lack the energy to perform their normal role.

Researchers built on their previous findings in mice, bumblebees and fruit flies, which all found significant improvements in the function of the retina's photoreceptors when their eyes were exposed to 670 nanometre (long wavelength) deep red light.

"Mitochondria have specific light absorbance characteristics influencing their performance: longer wavelengths spanning 650 to 1000nm are absorbed and improve mitochondrial performance to increase energy production," said Professor Jeffery.

The retina's photoreceptor population is formed of cones, which mediate color vision and rods, which provide peripheral vision and adapt vision in low/dim light.

For the study, 24 people (12 male, 12 female), aged between 28 and 72, who had no ocular disease, were recruited. All participants' eyes were tested for the sensitivity of their rods and cones at the start of the study. Rod sensitivity was measured in dark adapted eyes (with pupils dilated) by asking participants to detect dim light signals in the dark, and cone function was tested by subjects identifying colored letters that had very low contrast and appeared increasingly blurred, a process called color contrast.

All participants were then given a small LED torch to take home and were asked to look into* its deep red 670nm light beam for three minutes a day for two weeks. They were then re-tested for their rod and cone sensitivity

Results

Researchers found the 670nm light had no impact in younger individuals, but in those around 40 years and over, significant improvements were obtained.

Cone color contrast sensitivity (the ability to detect colors) improved by up to 20% in some people aged around 40 and over. Improvements were more significant in the blue part of the color spectrum that is more vulnerable in aging.

Rod sensitivity (the ability to see in low light) also improved significantly in those aged around 40 and over, though less than color contrast.

Professor Jeffery said: "Our study shows that it is possible to significantly improve vision that has declined in aged individuals using simple brief exposures to light wavelengths that recharge the energy system that has declined in the retina cells, rather like re-charging a battery.

"The technology is simple and very safe, using a deep red [light](#) of a specific wavelength, that is absorbed by mitochondria in the retina that supply energy for cellular function.

"Our devices cost about £12 to make, so the technology is highly accessible to members of the public."

More information: Harpreet Shinhmar et al, Optically improved mitochondrial function redeems aged human visual decline, *The Journals of Gerontology: Series A* (2020). [DOI: 10.1093/gerona/glaa155](https://doi.org/10.1093/gerona/glaa155)

Provided by University College London

Citation: Declining eyesight improved by looking at deep red light (2020, June 29) retrieved 26 April 2024 from <https://medicalxpress.com/news/2020-06-declining-eyesight-deep-red.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.