

Study into DNA biology could impact future anti-cancer therapies

June 9 2020



Credit: CC0 Public Domain

A study by the Centre for Chromosome Biology at NUI Galway, Ireland, in partnership with the University of Zurich, has uncovered new insights into how the replication of DNA occurs which can be applied to help develop novel cancer treatments.

The breakthrough research looked at a protein called CDC7 which is a

trigger for [cancer cells](#) to replicate their DNA and form tumors. The NUI Galway research shows how drugs that block CDC7 work, indicating how they could be further developed to stop [cancer growth](#).

The key characteristic of all cancers is that cells divide in an uncontrolled way forming a tumour. When a cell divides into two cells its DNA needs to be replicated so that both mother cell and daughter cell get a complete copy of the DNA. There are specific points on the DNA called origins of [replication](#) and CDC7 works by activating a set of proteins at these origins to trigger the initiation of DNA replication. Drugs that act against CDC7 block initiation of DNA replication and therefore block the growth of cancer cells.

Professor of Molecular Medicine at the Centre for Chromosome Biology and Discipline of Biochemistry in the School of Natural Sciences at NUI Galway, Corrado Santocanale said: "Cancer incidence is continuously increasing both in Ireland and around the world with scientists and researchers constantly looking for new and innovative treatments. My team has shown that CDC7 has another role to play in addition to activating proteins at replication origins."

He added: "We know that many types of cancers are stressed by constantly replicating their DNA and we have discovered that when replication stress occurs in cancer cells, CDC7 works with another protein called MRE11 to overcome the stress and restart replication, so the cancer cells can keep growing. However, if drugs that block CDC7 are added, the cancer cells are unable to overcome the replication stress."

The new research is particularly relevant for the more aggressive cancers such as pancreatic and colon cancers which have high levels of replication stress, diseases in which drugs that block CDC7 are likely to be particularly effective.

The researchers also found that if [cells](#) have a mutation in the breast cancer gene BRCA2, CDC7 actually increases DNA damage, increasing the likelihood of breast cancer developing and suggesting that drugs that block CDC7 could also be investigated to help in the prevention of certain types of breast cancers.

Professor Noel Lowndes, Director of the Centre for Chromosome Biology said " This study, published in the prestigious journal *EMBO Reports*, demonstrates how basic research, that increases our knowledge biological processes, is vital to uncover new directions to take in the effort to develop effective [cancer](#) treatments.

More information: Michael D Rainey et al, CDC7 kinase promotes MRE11 fork processing, modulating fork speed and chromosomal breakage, *EMBO reports* (2020). [DOI: 10.15252/embr.201948920](https://doi.org/10.15252/embr.201948920)

Provided by National University of Ireland Galway

Citation: Study into DNA biology could impact future anti-cancer therapies (2020, June 9) retrieved 4 May 2024 from <https://medicalxpress.com/news/2020-06-dna-biology-impact-future-anti-cancer.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--