

Impact of children's loneliness today could manifest in depression for years to come

June 1 2020, by Andy Dunne



Credit: CC0 Public Domain

Children and adolescents are likely to experience high rates of depression and anxiety long after current lockdown and social isolation ends and clinical services need to be prepared for a future spike in

demand, according to the authors of a new rapid review into the long-term mental health effects of lockdown.

The research, which draws on over 60 pre-existing, peer-reviewed studies into topics spanning isolation, loneliness and mental health for [young people](#) aged 4—21, is published today (Monday 1 June 2020) in the *Journal of the American Academy of Child and Adolescent Psychiatry*.

According to the review, young people who are lonely might be as much as three times more likely to develop depression in the future, and that the impact of loneliness on mental health could last for at least 9 years.

The studies highlight an association between loneliness and an increased risk of mental health problems for young people. There is also evidence that duration of loneliness may be more important than the intensity of loneliness in increasing the risk of future depression among young people.

This, say the authors, should act as a warning to policymakers of the expected rise in demand for mental health services from young people and young adults in the years to come—both here in the UK and around the world.

Dr. Maria Loades, clinical psychologist from the Department of Psychology at the University of Bath who led the work, explained: "From our analysis, it is clear there are strong associations between loneliness and depression in young people, both in the immediate and the longer-term. We know this effect can sometimes be lagged, meaning it can take up to 10 years to really understand the scale of the mental health impact the covid-19 crisis has created."

For teachers and policymakers currently preparing for a phased re-start

of schools in the UK, scheduled from today, Monday 1 June, Dr. Loades suggests the research could have important implications for how this process is managed too.

She adds: "There is evidence that it's the duration of [loneliness](#) as opposed to the intensity which seems to have the biggest impact on depression rates in young people. This means that returning to some degree of normality as soon as possible is of course important. However, how this process is managed matters when it comes to shaping young people's feelings and experiences about this period.

"For our youngest and their return to school from this week, we need to prioritize the importance of play in helping them to reconnect with friends and adjust following this intense period of isolation."

Members of the review team were also involved in a recent open letter to UK Education Secretary, Gavin Williamson MP, focusing on support for children's social and emotional wellbeing during and after lockdown. In their letter they suggested that:

- The easing of lockdown restrictions should be done in a way that provides all children with the time and opportunity to play with peers, in and outside of school, and even while social distancing measures remain in place;
- Schools should be appropriately resourced and given clear guidance on how to support children's emotional wellbeing during the transition period as schools reopen and that play—rather than academic progress—should be the priority during this time;
- The social and emotional benefits of play and interaction with peers must be clearly communicated, alongside guidance on the objective risks to children.

Acknowledging the trade-offs that need to be struck in terms of restarting the economy and reducing educational disparities, their letter to the Education Secretary concludes: 'Poor emotional health in children leads to long term [mental health](#) problems, poorer educational attainment and has a considerable economic burden.'

More information: *Journal of the American Academy of Child and Adolescent Psychiatry* (2020). [DOI: 10.1016/j.jaac.2020.05.009](https://doi.org/10.1016/j.jaac.2020.05.009)

Provided by University of Bath

Citation: Impact of children's loneliness today could manifest in depression for years to come (2020, June 1) retrieved 28 April 2024 from <https://medicalxpress.com/news/2020-06-impact-children-loneliness-today-manifest.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.