


# Young, but vulnerable to COVID-19

June 25 2020



Chronic diseases are more common at working-age in the Global South. The proportion of people with cardiovascular diseases in their early 20s is for example more than two times higher in Brazil and Nigeria compared to Italy. Credit: Max Planck Institute for Demographic Research

Although populations in countries in the Global South are on average younger than in Europe, they might be more vulnerable to severe forms of COVID-19. One reason for this is the higher proportion of people at working age with pre-existing chronic conditions.

At almost every age within this population group, more people in Brazil

and Nigeria suffer from pre-existing [chronic conditions](#) than in European countries, such as Italy. This increases their risk of a severe case of COVID-19. "We show that the prevalence of cardiovascular diseases, [chronic obstructive pulmonary disease](#), and chronic kidney disease in Brazil and Nigeria is considerably higher relative to Italy," said Marília Nepomuceno. The researcher at the Max Planck Institute for Demographic Research in Rostock, Germany, used data from the Global Burden of Disease Database for her analysis.

The results show that the proportion of people with cardiovascular diseases in their early 20s is more than two times higher in Brazil and Nigeria compared to Italy. For [chronic kidney disease](#) and chronic obstructive pulmonary disease, the prevalence in Brazil and Nigeria is also considerably greater relative to Italy. It is particularly higher for people over the age of 40. Among women, for instance, differences in prevalence can be up to four times higher in Nigeria than in Italy. These health disadvantages, which are common in the Global South, suggest that their working-age populations are far more vulnerable to severe forms of COVID-19 [disease](#) than that of Europe.

Together with her colleagues at the institute Enrique Acosta and Diego Alburez-Gutierrez and an international team of researchers, Marília Nepomuceno published her study in the *Proceedings of the National Academy of Sciences (PNAS)*. The article highlights the important role of several demographic factors for understanding the spread of the COVID-19 pandemic around the world, and particularly in the Global South.

Marília Nepomuceno and her colleagues argue that vulnerability to COVID-19 depends not only on age and sex, but also strongly depends on other factors, including [health conditions](#), access to healthcare services, hygienic and sanitary conditions, and economic disparities. The precarious state of these factors in countries in the Global South may

result in higher health risks from COVID-19. This counteracts the relative advantage of their younger populations. Country-specific measures that account for the epidemiological, social, and economic contexts are needed to better understand the impact of the COVID-19 pandemic across the globe.

**More information:** Marília R. Nepomuceno et al. Besides population age structure, health and other demographic factors can contribute to understanding the COVID-19 burden, *Proceedings of the National Academy of Sciences* (2020). [DOI: 10.1073/pnas.2008760117](https://doi.org/10.1073/pnas.2008760117)

Provided by Max Planck Society

Citation: Young, but vulnerable to COVID-19 (2020, June 25) retrieved 11 May 2024 from <https://medicalxpress.com/news/2020-06-young-vulnerable-covid-.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.