


# What makes a 'wave' of disease? An epidemiologist explains

July 7 2020, by Abram L. Wagner



Three waves of death: weekly combined influenza and pneumonia mortality, United Kingdom, 1918–1919. The waves were broadly the same globally during the pandemic. Credit: [Taubenberger JK, Morens DM. 1918 Influenza: the Mother of All Pandemics. Emerg Infect Dis. 2006;12\(1\):15-22., CC BY](#)

Panic about a second wave of coronavirus cases is "[overblown](#)," Vice President Mike Pence wrote in June, implying the U.S. has COVID-19 under control. On the other hand, Anthony Fauci, director of the National Institute of Allergy and Infectious Diseases, warns that the U.S. is still firmly [within a first wave of cases](#).

As media broadcast information about daily increases in the number of cases, it's hard not to wonder which way the country is headed. Have the weeks and months of lockdown really helped? What do the trends in diagnoses and deaths mean for the course of the pandemic? Is the U.S. stuck in a first wave? Through the worst of it? Headed for a second round?

Six months into the pandemic, people are looking for ways to make sense of what's happening. Talking about waves of disease, with the implication of predictable rises and falls, is part of that. [As an epidemiologist](#), I know that disease waves aren't scientifically defined. But looking to the history of previous epidemics and other countries' current COVID-19 outbreaks can be useful.

## Characterizing a wave

There's no strict definition for what is or is not an epidemic wave or phase. A wave implies a rising number of sick individuals, a defined peak, and then a decline. The word "wave" implies a natural pattern of peaks and valleys; it hints that even during a lull, future outbreaks of disease are possible.

Historical outbreaks of [infectious diseases](#) offer some models for how the course of a disease like COVID-19 might unfold over time.


Some diseases come in somewhat predictable seasonal waves, with higher transmission rates at some times of the year than at others. Seasonal coronaviruses, [like 229E or HKU1](#), which cause the common cold, have a high point from around December through March, according to [research in the U.S. and elsewhere](#).

Several factors influence whether a particular disease is seasonal in nature. Some pathogens may spread less well [with greater humidity](#).

Annual epidemics, like of [influenza](#) may occur because of climate or patterns of social mixing—often driven by the school year or people staying inside more during the winter.

### New confirmed COVID-19 cases and deaths in Iran, per day

A rise in deaths typically follows a rise in new cases.



Seven day rolling average of the number of people confirmed to have COVID-19, compared with the number of people who die and recover, per day (not including today). This chart gets updated once per day with data by Johns Hopkins. Credit: Chart: Datawrapper/The Conversation Source: Johns Hopkins CSSE

It's possible that SARS-CoV-2, the [coronavirus](#) that causes COVID-19, [spreads more efficiently](#) under certain weather conditions. But recent outbreaks in Florida, Arizona, Texas and Southern California suggest that warm or humid weather is not sufficient to stop the spread of the disease. Some scientists [model that SARS-CoV-2 will eventually become](#)

[seasonal](#) like other coronaviruses.

Waves and seasonal dynamics are also affected by levels of immunity in the human population. As more individuals become immune to a pathogen, its spread slows and eventually stops as the virus runs out of new people to infect. The U.S. is nowhere near what epidemiologists call herd immunity in the general population, however; mathematical modelers suggest at least [between 43% and 60%](#) of people would need to be immune to SARS-CoV-2 for that to be the case.

## **Ebb and flow, 150 years of influenza waves**

Some of the current talk of coronavirus waves likely stems from comparisons with past epidemics that did show these peaks and troughs of infections.

University of Oxford scholars of evidence-based medicine Tom Jefferson and Carl Heneghan have [summarized past waves in respiratory virus pandemics](#) over the previous 150 years. For example, the 1889-92 influenza outbreak had three distinct waves, which [differed in their virulence](#). The second wave was much more severe, particularly in younger adults.

The current COVID-19 pandemic is often compared to the 1918 H1N1 influenza pandemic, which had [three distinct waves](#) over the course of a year. The proportion of influenza patients who were severely ill or died was much higher in the last two waves compared to the first. It's unclear whether being infected earlier on protected individuals during later waves.


More recently, the 2009 H1N1 influenza pandemic, though mild, had two distinct waves; this virus still commonly shows up in seasonal influenza outbreaks. A study of H1N1 influenza in 2009-2010 found

that the second wave [affected more older people](#), with underlying conditions.

Insight from the past suggests that discrete waves result as a disease spreads into and out of a population. Different waves can have different features, too, regarding factors like [disease](#) severity or which populations are most affected.

### New confirmed COVID-19 cases and deaths in U.S., per day

Daily new cases of COVID-19 haven't been below 20,000 since April, when confirmed diagnoses were still climbing to an initial peak.



Seven day rolling average of the number of people confirmed to have COVID-19, compared with the number of people who die and recover, per day (not including today). This chart gets updated once per day with data by Johns Hopkins. Johns Hopkins University didn't provide reliable data for March 12 and March 13. Credit: Chart: Datawrapper/The Conversation Source: Johns Hopkins CSSE

### What's happening now in the US

SARS-CoV-2 infections in the U.S. are on the rise. Some of this increase may be [driven by more widespread testing](#) now. But the [increases felt in many large states](#) – Texas, California, Florida—are a result of more community transmission.

Currently, even with an increase in the number of cases in many parts of the U.S., there has not been a corresponding increase [in the number of deaths](#).

The story from Iran [may offer](#) a cautionary note. From a peak of over 3,000 cases confirmed per day in early April, it declined to less than 1,000 by May, from which it has climbed [to hover](#) around 2,500 daily confirmed cases as of the end of June. The [rise in the number of deaths](#) did not occur until the second half of June. This is likely due to the time lag between when someone is infected and when they die.

Accordingly, U.S. states currently experiencing an uptick in COVID-19 confirmed cases could see a notable increase in deaths within a few weeks. The average age of those infected is getting younger, though, complicating predictions about a death toll.

The U.S. is not yet in a second wave and increasingly it looks like the country may not see one. Instead, the U.S. may sustain a constant first wave that just continues to crest. The political willpower necessary to limit transmission through robust, ongoing lockdown measures seems, unfortunately, to have been snuffed out.

But arguing about whether the U.S. is in a second wave, the first wave, or wave 1.5 ultimately doesn't matter. Whichever it is, the commonsense actions everyone can currently take to limit the spread of infection remain the same: Staying home when possible, wearing a mask and socially distancing when out, and frequently washing hands will help speed our way beyond this pandemic, regardless of what wave we're in.

This article is republished from [The Conversation](#) under a Creative Commons license. Read the [original article](#).

Provided by The Conversation

Citation: What makes a 'wave' of disease? An epidemiologist explains (2020, July 7) retrieved 25 April 2024 from <https://medicalxpress.com/news/2020-07-disease-epidemiologist.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.