

Frequent social media use influences depressive symptoms over time among LGBTQ youth

July 23 2020

Frequent social media use can impact depressive symptoms over time for LGBTQ youth, according to research from a Washington State University communication professor.

Traci Gillig, an assistant professor in the Edward R. Murrow College of Communication at Washington State University, found that when LGBTQ adolescents attended a social media-free summer [camp](#), they experienced a reduction in depressive symptoms, as outlined in her 2020 research "Longitudinal analysis of depressive symptoms among LGBTQ youth at a social media-free camp".

According to Gillig, [social media use](#) may foster a positive sense of self and a perception of being valued in a society or community, or it may do the opposite, which can affect adolescents' psychological well-being. Youth with more negative emotional or [psychological symptoms](#) are at higher risk than their peers of developing problematic online engagement patterns in attempts to ease psychological distress, which can lead to problematic usage patterns for some.

Previous research reveals that nearly half of youth (42%) report that social media has taken away from in-person, face-to-face time with friends in today's digital age. Many also report feelings of social exclusion, which is popularly referred to today as the term FOMO (i.e., "fear of missing out").

In Gillig's recently published study, LGBTQ youth ages 12-18 were surveyed before and after attending a social media-free summer leadership camp for LGBTQ youth. Survey questions examined the relationship between youth's social media use prior to camp and changes in their depressive symptoms during the program.

When examining the role of social media use in changes in depressive symptoms over time, significant findings emerged. Before attending the camp, the average number of hours participants spent using social media each day was about four hours and depressive symptoms among participants was moderate. By the end of the social media-free camp, depressive symptoms lowered by about half.

Youth with the highest levels of pre-camp social media use tended to experience a more "across the board" reduction in [depressive symptoms](#). Gillig believes this can be attributed to the social, affirming camp setting that may have filled a critical need of social interaction for the high-volume social media users.

These findings highlight the positive influence of a "social media break" in a supportive environment on mental health, especially for LGBTQ youth. They also demonstrate the value of face-to-face interactions and how many youth may be unaware of the psychological benefits they could experience by trading social media time for face-to-face interactions in supportive contexts.

Face-to-face interactions can be even more beneficial for marginalized groups, including LGBTQ adolescents, who may not have access to supportive contacts within their local community. Affirming programming that brings together LGBTQ youth for in-person relationship development, such as camps for LGBTQ individuals, shows promise to improve youth mental health trajectories.

Gillig hopes that other researchers continue to test for relationships between social media use and [psychological distress](#), especially its impact on LGBTQ youth mental health over time. More research is needed to help practitioners make informed recommendations to distressed LGBTQ youth and their parents as to whether the youth may benefit from simply unplugging from social media or from unplugging in the context of LGBTQ-affirming programming.

More information: Traci K. Gillig, Longitudinal analysis of depressive symptoms among LGBTQ youth at a social media-free camp, *Journal of Gay & Lesbian Mental Health* (2020). [DOI: 10.1080/19359705.2020.1789018](#)

Provided by Edward R. Murrow College of Communication

Citation: Frequent social media use influences depressive symptoms over time among LGBTQ youth (2020, July 23) retrieved 20 April 2024 from <https://medicalxpress.com/news/2020-07-frequent-social-media-depressive-symptoms.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--