

Great expectations: Patients overestimate success in IVF

July 7 2020



Credit: CC0 Public Domain

Couples embarking on IVF to treat their infertility tend to overestimate their chance of success, according to a prospective study of 69 couples having at least their second treatment attempt. Such over-optimism, suggest the authors, may be a source of distress or even a reason to discontinue their IVF treatment.

The results of the study will be presented today by embryologist Johanna Devroe from the University Hospital of Leuven, Belgium, during ESHRE's online Annual Meeting.

Reports in the past have suggested that couples usually have some degree of optimism when embarking on treatment, but, says Ms Devroe, "to the best of our knowledge, the live birth rates expected by patients during their IVF cycle have yet to be studied and compared to their individual prognosis. In addition, it is not known whether these expected [birth rates](#) are affected by factors like gender and an individual's general level of optimism."

The study thus measured a couple's individual expectations about their treatment and their natural disposition to optimism according to a validated questionnaire. In addition, the study used a mathematical model to calculate each couple's IVF prognosis by taking account of clinical and IVF laboratory factors. This allowed the study to calculate the degrees of mis-estimation for both the male and female partner of each couple.

The mean calculated prediction of live birth among the study participants was 32%, after treatments with both fresh and frozen embryo transfers. However, 85% of the female partners overestimated their chances (by 34% on average), with almost half of them expecting their birth rate to be more than double their treatment prognosis. Similarly, 88% of men overestimated their outcomes, with 54% expecting their birth rate to be more than double their calculated prognosis. When comparisons were made between the female and [male partners](#), it was found that the men generally had significantly higher expectations than their female partners (64% vs 59%), although partners did not differ in their overall levels of optimism. Indeed, the correlation between their anticipated [success](#) rates and their general level of optimism was generally weak, suggesting that personal disposition does

not fully explain the results of this study.

While this was a single-centre study and no study has as yet compared patient expectations with prognosis in this way, Ms Devroe notes that studies in several countries have all indicated that future IVF patients (and the general public) have high expectations of success shaped by the press and internet, besides their own clinics.

"Clinics do share average success rates on their websites," says Ms Devroe, "but these are often only relevant to a reference population of younger patients. And many patients do not think that average success rates apply to them. They expect greater success, thinking of their healthy lifestyle or their experienced doctors. So the message to clinics is, work on setting realistic expectations. We are now investigating this, to see if disclosing an individual's predicted success rate rather than a clinic's average success rate helps to set realistic expectations."

There is already some evidence from other researchers that unrealistic expectations do result in greater disappointment, which in turn may lead some patients to drop out of treatment. "We are currently following up the couples from our study group to correlate levels of [unrealistic expectations](#) with levels of disappointment and uptake of another IVF cycle," explains Ms Devroe.

More information: Abstract 0-185, Tuesday 7 July 2020: The realism of men and women's expected IVF live birth rates

Provided by European Society of Human Reproduction and Embryology

Citation: Great expectations: Patients overestimate success in IVF (2020, July 7) retrieved 4 May 2024 from <https://medicalxpress.com/news/2020-07-great-patients-overestimate-success-ivf.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.