

Immune functions traded in for reproductive success

July 30 2020



A female specimen of the deep-sea anglerfish species *Melanocetus johnsonii* of about 75 mm in size with a 23.5 mm large male fused on her belly. Credit: Edith

A. Widder

Deep-sea anglerfishes employ an incredible reproductive strategy. Tiny dwarfed males become permanently attached to relatively gigantic females, fuse their tissues and then establish a common blood circulation. In this way, the male becomes entirely dependent on the female for nutrient supply, like a developing fetus in the womb of her mother or a donor organ in a transplant patient. In anglerfishes, this unusual phenomenon is referred to as sexual parasitism and contributes to the reproductive success for these animals living in the vast space of the deep sea, where females and males otherwise rarely meet.

The permanent attachment of males to females represents a form of anatomical joining, which is otherwise unknown in nature except for the rare occurrence in genetically identical twins. The [immune system](#) represents an extraordinary obstacle. It attacks foreign tissue as it would destroy cells infected by pathogens. Just witness the difficulties surrounding organ transplantation in humans, which requires the careful cross-matching of donor and recipient tissue types, together with immunosuppressive drugs, to ensure the long-term survival of the organ graft. But how is it possible anglerfishes accept each other so readily when tissue rejection might be expected?

The phenomenon of sexual parasitism has posed an enigma that has existed for 100 years, ever since the first attached couple was discovered by an Icelandic fisheries biologist in 1920. Now, scientists from Germany and the U.S. have solved this century-old conundrum and report their findings in the scientific journal *Science*.

Key functions of the immune system eliminated

A few years ago, Thomas Boehm, a [medical doctor](#) and immunologist working at the Max Planck Institute of Immunobiology and Epigenetics in Freiburg, Germany, and Theodore W. Pietsch, an ichthyologist and an internationally renowned expert on anglerfishes working at the University of Washington in Seattle, set out to study the genomes of different anglerfish species. They began by looking at the structure of major histocompatibility (MHC) antigens. These molecules are found at the surface of the body's cells and signal alarm to the immune system when the cells are infected by a virus or a bacterium. To make sure that all pathogens are efficiently recognized, the MHC molecules are extremely variable, so much so that it is hard to find identical or near-identical forms in any two individuals of a species. This feature is at the root of the tissue-matching problem that plagues human organ and bone marrow transplantation.

Interestingly, the researchers found that anglerfishes that use permanent attachment are largely depauperate in genes that encode these MHC molecules, as if they had done away with immune recognition in favor of tissue fusion. "Apart from this unusual constellation of MHC genes, we discovered that the function of killer T cells, which normally actively eliminate infected cells or attack foreign tissues during the organ rejection process, was also severely blunted if not lost entirely. These findings hinted at the possibility that the immune system of anglerfishes was very unusual among the tens of thousands of vertebrate species," says Jeremy Swann from the MPI of Immunobiology and Epigenetics and first author of the study.



Female of the species *Photocorynus spiniceps*, 46 mm, with a 6,2 mm parasitic male fused to her back. Credit: Theodore W. Pietsch

Survival without acquired immune facilities

After these unexpected discoveries, the scientists suspected that the reorganization of the immune system of anglerfishes might be even more extensive than expected. And indeed, further research indicated that antibodies, which are the second powerful weapon in the arsenal of immune defense, are also missing in some anglerfish species. "For humans, the combined loss of important immune facilities observed in anglerfishes would result in fatal immunodeficiency," says Thomas Boehm, Director at the MPI of Immunobiology and Epigenetics and lead scientist of the project.

However, anglerfishes are obviously able to survive without essential adaptive immune functions. Thus, the researchers concluded that the animals use much improved innate facilities to defend themselves

against infections, an unexpected solution to a problem confronting all living things. Indeed, until now, it was thought that a partnership of acquired and innate immunity, once it was formed in evolution, cannot be disentangled without severe consequences.

Immune system affects the reproductive strategy

The study thus shows that despite several hundred million years of co-evolutionary partnership of innate and adaptive functions, vertebrates can survive without the adaptive immune facilities previously considered to be irreplaceable. We assume that as-yet unknown evolutionary forces first drive changes in the immune system, which are then exploited for the evolution of sexual parasitism," says Thomas Boehm.

Interestingly, the scientists believe that, among their collection of fishes, they have even captured one species en route to developing sexual parasitism. "We find it remarkable that the unusual mode of reproduction was invented several times independently in this group of fishes," says Ted Pietsch from the University of Washington.

Although the details of the improved innate immune facilities in anglerfishes remain to be discovered, the results of this study point at potential strategies that enhance innate immune facilities in human patients who suffer the consequences of inborn or acquired impairment of immune facilities. Hence, the scientific journey that began with an obscure observation on board a fishing vessel out in the mid-Atlantic unexpectedly opens up new avenues for the treatment of immune disorders in humans.

More information: J.B. Swann et al., "The immunogenetics of sexual parasitism," *Science* (2020). [science.sciencemag.org/lookup/...
1126/science.aaz9445](https://science.sciencemag.org/lookup/doi/10.1126/science.aaz9445)

Provided by Max Planck Institute of Immunobiology and Epigenetics

Citation: Immune functions traded in for reproductive success (2020, July 30) retrieved 2 May 2024 from <https://medicalxpress.com/news/2020-07-immune-functions-reproductive-success.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.