

## Lack of lockdown increased COVID-19 deaths in Sweden, analysis finds

July 6 2020



The Claude Moore Building at the University of Virginia School of Medicine. Credit: University of Virginia

Sweden's controversial decision not to lock down during COVID-19 produced more deaths and greater healthcare demand than seen in countries with earlier, more stringent interventions, a new analysis finds.



But Sweden fared better than would be expected from its public-health mandates alone, roughly similar to France, Italy and Spain—countries that had more stringent measures but adopted them after the pandemic took hold there.

Sweden's unusual approach also saw fewer patients admitted to intensive-care units than expected. But the country has seen a higher percentage of deaths in older patients outside ICUs than other countries when ICU beds were not limited. That suggests <a href="health authorities">health authorities</a> there have considered patients' chances of recovery in deciding who receives access to intensive care, the researchers say.

"Our study shows that individually driven infection-control measures can have a substantial effect on national outcomes, and we see Sweden as a good example of this case," said Peter Kasson, MD, Ph.D., of the University of Virginia School of Medicine and Sweden's Uppsala University. "Higher levels of individual action would further suppress the infection, while a complete lack of individual action would likely have led to runaway infection, which fortunately hasn't happened."

## **Understanding the Impact of COVID-19**

Kasson and Uppsala's Lynn Kamerlin set out to analyze the effects of the country's public-health response using population, employment and household data. They say the insights gained from their work can guide future public-health policies. In particular, the findings will help doctors understand the effects of individual compliance with infection-control measures.

The researchers conclude that Sweden's "mild" government restrictions, coupled with a population willing to voluntarily self-isolate, produced results quite similar to those seen in countries that enacted more stringent measures later in the pandemic.



Sweden's per capita death rate was 35 per 100,000 as of May 15. Meanwhile, Denmark's death rate was 9.3 per 100,000, Finland's 5.2 and Norway's 4.7. All three neighboring countries enacted stricter policies. For comparison, the United States had 24 deaths per 100,000 as of May 15. But Sweden has fared better than hard-hit countries such as the United Kingdom and Spain.

"Sweden is perhaps the most prominent example of mitigation—limiting the extent of socially and economically disruptive interventions while still aiming to slow spread and allow for an effective medical response," the researchers wrote in a new paper outlining their findings. "Studying the effects of this strategy, which elements are key to reducing mortality and healthcare need, and how it might compare to other approaches, is thus of critical importance to the global understanding of pandemic responses."

## **Key Measures in Sweden**

While it did not opt for full lockdown, Sweden took several steps to mitigate the spread of COVID-19. The researchers created computer models to measure the effects of these steps, including voluntary self-isolation by symptomatic people and those over 70, closing schools and other interventions. They then validated their results by comparing the models with Sweden's death rate and compared Sweden's results to other countries'.

The researchers' models anticipated that Sweden's public-health mandates would result in 40 times more patients needing ICU beds than the number of ICU beds available before the pandemic. Voluntary self-isolation reduced this to five-fold, and the country essentially doubled its number of ICU beds as the pandemic emerged.

That still leaves many patients without a bed, however, and yet the



country's ICUs weren't overrun. That outcome—and the fact <u>older</u> <u>patients</u> in Sweden were several times more likely to die than to be admitted to an ICU—prompted the researchers to analyze choices that Swedish health authorities made about who would receive intensive care.

"Analyzed by categorical age group, older Swedish patients with confirmed COVID-19 were more likely to die than to be admitted to the ICU, suggesting that predicted prognosis may have been a factor in ICU admission," the researchers wrote. "This likely reduced ICU load at the cost of more high-risk patients dying outside the ICU."

"The key finding is that individual actions matter," Kasson said. "If enough individuals stay home and take precautions when in the community, it can really change the infection curve. And we can't let up now."

**More information:** Shina C L Kamerlin et al, Managing COVID-19 spread with voluntary public-health measures: Sweden as a case study for pandemic control, *Clinical Infectious Diseases* (2020). DOI: 10.1093/cid/ciaa864

## Provided by University of Virginia

Citation: Lack of lockdown increased COVID-19 deaths in Sweden, analysis finds (2020, July 6) retrieved 27 April 2024 from

https://medicalxpress.com/news/2020-07-lack-lockdown-covid-deaths-sweden.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.