

Mindfulness training helps men manage anger

July 9 2020, by Anne Sliper Midling



"Some people who are violent are easily offended. Much of the treatment we offer is about understanding yourself," says Merete Berg Nasset, a PhD candidate at NTNU. Ill. Credit: Colourbox

The last few weeks have been particularly difficult for people living in a violent relationship.

But a few glimmers of hope are finally emerging from the coronavirus nightmare.

After weeks at home, Norway's children can start attending school again. Norwegian society is gradually returning to a new normal everyday life.

"For a lot of people, the weeks of shutdown have been an extreme situation with a lot of stress. Those of us who work with people on [anger management](#) have felt really concerned about what might be going on within the four walls of their homes," says Merete Berg Nettet.

Fewer opportunities to get away

For many years Nettet has worked on treating angry people who beat, yell and threaten. Now she is on the flip side, working on a doctorate at NTNU on the same topic.

COVID-19 has taken a toll. People have lost their jobs. No one is quite sure what will happen with the economy. Many people are feeling uncertain about the future.

"We know that financial difficulties, unemployment and psychological challenges are linked to aggression and violence. The level of stress clearly increases further when parents also become responsible for teaching their children at home. Situations that are already difficult have escalated for a lot of people who have conflicts from before or a prior mental health problem, because there are fewer opportunities to get away," says Nettet.

But there is hope.

Treatment very effective

Nesset has just published a study showing that treatment can work very well. What she did was to divide 125 men who applied for help with anger management into two groups.

One group received cognitive-behavioural group therapy using what is called the Brøset model.

The other group participated in a stress management course based on [mindfulness](#). Partners in both groups participated through several surveys conducted before, during and after treatment.

The results following treatment were equally good for both groups:

- Prior to treatment, 60 percent of the men had committed [sexual violence](#) against their relationship partners. That is, they demanded sex or threatened sex with a partner. Almost no one reported such violent episodes after treatment,.
- Prior to treatment, 85 percent of the men reported [physical violence](#). A large percentage had committed violence that resulted in harm to their partner. After treatment, this percentage dropped to ten percent.
- Prior to treatment, 87 percent of participants reported psychological or emotional violence, such as threats and derogatory comments. This number declined by 25 percent but was not as dramatic a drop as for the other types of violence. Nesset explains this with the fact that it takes a long time to experience feeling safe.

More sexual violence than expected

"There was a high level of both sexual and physical violence before treatment began. It was more than we'd imagined beforehand. When we checked what the partners experienced, we got a slightly different picture of what was actually going on. We know that a lot of angry men hit their partners, but we were surprised that so many committed sexual assaults. At this point the agreement between the husband and partner was low—that is, the partner reported more cases than the man did," says Nasset.

The backdrop for the study was to check whether treating mood disorders using the Brøset model has an effect. In a lot of studies, the control group receives a placebo, or no treatment.

"Unfortunately, about 25 percent of all killings in Norway are partner killings. Because domestic violence is a public health problem with major health consequences for those exposed to the violence, we found it unethical not to offer treatment. So what we studied was the effectiveness of two types of treatment. Both worked," says Nasset.

Getting to know yourself better

One treatment involved eight group sessions in a type of mindfulness training called MBSR, which stands for mindfulness-based stress management. The course was led by psychologist Nina Flor Thunold who at that time worked at St. Olav's hospital, Østmarka division, in a district east of Trondheim.

The course was not designed specifically for anger management but for illness in general, and the content was defined in advance—regardless of why any individual was in the course.

The second treatment involved 15 sessions of cognitive-behavioural group therapy. The program was developed at St. Olav's hospital and is

called the Brøset model. The therapy has different stages, with the first phase being to stop the violence. According to Nesset, you can do that without understanding why you become violent.

After this phase you explore patterns of violence and map the situations that trigger violence for you, what thoughts and feelings arise and what actions repeat themselves.

Easily offended

"Some people who use violence get offended easily. During treatment, participants find out what makes them feel offended, what thoughts and feelings they should pay particular attention to, and we create action plans for how they can handle negative emotions without using violence. A lot of the treatment is about understanding yourself," says Nesset.

She says the decline in violence was greater than she had anticipated.

"I didn't expect the decline to be so big. It's really promising that the treatment works," says Nesset.

To clarify: In the past, smaller studies have been conducted of people who were on a waiting list for treatment and comparing them with people already receiving treatment. Those who received treatment experienced a greater reduction in [violence](#) than those on the [waiting list](#).

Treatment that uses the Brøset model is offered throughout Norway. Each year, about 400 men get help to become a better version of themselves. Those who need help will receive individual support until a group course is available.

More information: Merete Berg Nesset et al. Cognitive behavioural

group therapy versus mindfulness-based stress reduction group therapy for intimate partner violence: a randomized controlled trial, *BMC Psychiatry* (2020). [DOI: 10.1186/s12888-020-02582-4](https://doi.org/10.1186/s12888-020-02582-4)

Provided by Norwegian University of Science and Technology

Citation: Mindfulness training helps men manage anger (2020, July 9) retrieved 6 May 2024 from <https://medicalxpress.com/news/2020-07-mindfulness-men-anger.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.