

# Cashew shell compound appears to mend damaged nerves

August 17 2020

---



Credit: Pixabay/CC0 Public Domain

In laboratory experiments, a chemical compound found in the shell of the cashew nut promotes the repair of myelin, a team from Vanderbilt University Medical Center reports today in the *Proceedings of the*

*National Academy of Sciences.*

Myelin is a protective sheath surrounding nerves. Damage to this covering—demyelination—is a hallmark of multiple sclerosis and related diseases of the central nervous system.

"We see this as an exciting finding, suggesting a new avenue in the search for therapies to correct the ravages of MS and other demyelinating diseases," said the paper's senior author, Subramaniam Sriram, MBBS, William C. Weaver III Professor of Neurology and chief of the Division of Neuroimmunology.

Previous work led by Sriram showed that a protein called interleukin 33, or IL-33, induced myelin formation. IL-33 is, among other things, an immune response regulator, and multiple sclerosis is an autoimmune disorder.

The cashew shell compound is called anacardic acid. Sriram and team grew interested in it because it's known to inhibit an enzyme involved in [gene expression](#) called histone acetyltransferase, or HAT, and the team had discovered that whatever inhibits HAT induces production of IL-33.

The report includes a range of new findings that point to potential therapeutic use of anacardic acid for demyelinating diseases:

- In vitro, the addition of the compound to rat cells most responsible for myelination—oligodendrocyte precursor cells, or OPCs—spurred induction of IL-33 and rapidly increased the expression of myelin genes and proteins, including dose-dependent increases in [myelin](#) basic protein;
- In two animal models of demyelination, treatment with the compound increased the relative presence of IL-33-expressing OPCs and led to reduced paralysis;

- In an animal model of demyelination treated with the compound, dissection and [electron microscopy](#) showed dose-dependent increases in myelination.

"These are striking results that clearly urge further study of anacardic acid for [demyelinating diseases](#)," Sriram said.

**More information:** Åsa Ljunggren-Rose et al., "Anacardic acid induces IL-33 and promotes remyelination in CNS," *PNAS* (2020). [www.pnas.org/cgi/doi/10.1073/pnas.2006566117](http://www.pnas.org/cgi/doi/10.1073/pnas.2006566117)

Provided by Vanderbilt University Medical Center

Citation: Cashew shell compound appears to mend damaged nerves (2020, August 17) retrieved 22 May 2024 from <https://medicalxpress.com/news/2020-08-cashew-shell-compound-nerves.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
---