

# Gaps in early surveillance of coronavirus led to record-breaking US trajectory: study

August 21 2020

---



Credit: CC0 Public Domain

As the United States exceeds 5 million reported coronavirus cases—the world's first country to do so—epidemiologists have pinpointed what helped to set the country on this path.

Research from the University of Notre Dame estimates that more than 100,000 people were already infected with COVID-19 by early March—when only 1,514 cases and 39 deaths had been officially reported and before a [national emergency](#) was declared. The study provides insight into how limited testing and gaps in surveillance during the initial phase of the epidemic resulted in so many cases going undetected. The study was published in the *Proceedings of the National Academy of Sciences*.

"We weren't testing enough," said Alex Perkins, associate professor in the Department of Biological Sciences, an expert in infectious disease epidemiology and population biology and the lead of the study. "The number of unobserved infections appears to be due to very low rates of case detection during a critical time, when the epidemic was really starting to take hold in this country. Part of it was the availability of testing, but another huge part was case definitions and the fact that they were overly restrictive early on."

According to the Centers for Disease Control and Prevention, the first confirmed case of COVID-19 in the United States was reported in January. Early guidance on identifying possible [infection](#) included respiratory symptoms, and travel to Wuhan, China—where an outbreak occurred in December 2019.

"While we were focusing on people coming back from China, we were ignoring people coming from Europe, and actually quite a bit of the initial seeding of the virus into various parts of the United States came from Italy," Perkins said.

While awareness and concern over COVID-19 grew from January to March, it wasn't until Feb. 29 that Washington became the first state to declare a state of emergency—closing schools and restaurants and imposing restrictions on large gatherings. By mid-March several states

followed, but a lack of a coordinated national response created a number of variables as each state decided for itself how to react to a rising number of cases.

By focusing their analysis on the January to March timeframe, when little to no action had been taken on a wide scale, Perkins and his team were able to incorporate a constant into their models. While other studies provide a sense of how school closures and lockdowns slowed the spread of the virus, looking at transmission for the first three months of the year gave the epidemiologists a clearer picture of how the virus emerged and spread throughout the country so quickly.

"It was such a crucial period in terms of how this situation started," said Perkins. "We look at the United States now and compare it to other countries like South Korea or Germany, New Zealand or Vietnam, any number of countries who have done a much, much better job controlling transmission. The key differences really come down to the [time period](#) we examine in this study. Those countries had adequate surveillance up and running at that time, whereas we show that throughout most of February the United States missed the vast majority of infections that were already out there. This particular timeframe that we focus on is really important for figuring out how we got here in the first place."

The study used a simulation model beginning on Jan. 1, using data reported by Johns Hopkins University on confirmed cases and deaths, accounting for asymptomatic infections, case fatality rates and local transmission. Perkins and his team first generated an estimate of total infections in the U.S. through March 12. The team then factored in how detection of symptomatic infections changed over time and estimated the number of unobserved infections during this time.

A significant aspect of the analysis is the model's incorporation of many uncertainties that played out in the early days of the epidemic in the

U.S., which Perkins said speaks to the inherent nature of a novel and emerging infectious disease. The number of unobserved and unreported infections also speaks to how critical containment strategies are when battling infectious diseases.

"I think the fact that there were so many infections by the second half of February speaks to the importance of and what we could have done in terms of containment," said Perkins. "If you think about Ebola or SARS (severe acute respiratory syndrome) or other emerging infectious diseases, there have been cases that show up in the U.S. or other countries where officials move quickly to get ahead of them. They isolate those people, they do contact tracing—and transmission is extinguished. I think a lot of us were hoping that would be the situation with this [disease](#). By the time we got to February, the problem had grown so big, containing the virus wasn't possible."

The potential for misdiagnosis and the limitations of surveillance are huge issues across infectious diseases, especially emerging [infectious diseases](#), he added. As illustrated in the COVID-19 study, while public health officials must work quickly to understand how a new virus functions, without appropriate testing or coordinated response strategies the risk grows for infections to go unreported.

**More information:** "Estimating unobserved SARS-CoV-2 infections in the United States," *Proceedings of the National Academy of Sciences* (2020). [DOI: 10.1073/pnas.2005476117](https://doi.org/10.1073/pnas.2005476117) , [www.pnas.org/content/early/2020/08/20/2005476117](https://www.pnas.org/content/early/2020/08/20/2005476117)

Provided by University of Notre Dame

Citation: Gaps in early surveillance of coronavirus led to record-breaking US trajectory: study

(2020, August 21) retrieved 15 May 2024 from <https://medicalxpress.com/news/2020-08-gaps-early-surveillance-coronavirus-record-breaking.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.