

Hazelwood coalmine fire exposed unborn children to respiratory damage

August 24 2020



Hazelwood coalmine. Credit: Simpsons fan 66 at the English Wikipedia, CC BY-SA 3.0

In utero exposure to the air pollution caused by the Hazelwood coalmine fire has been associated with increased reports of respiratory infections

and wheeze in young children 2–4 years later, leading to a call for public health responses to forefront the protection of pregnant women and young children.

The Hazelwood fire occurred in February of 2014, exposing a large number of people in Victoria's Latrobe Valley to high levels of air pollution for 6 weeks.

Research published online today by the *Medical Journal of Australia* analyzed data from 79 children who were exposed to the Hazelwood smoke while in utero, 81 who were 0-2 years old when exposed to the smoke, and 129 who were conceived after the fire (ie, unexposed).

The researchers were led by Associate Professor Fay Johnston from the Menzies Institute for Medical Research at the University of Tasmania.

Johnston and colleagues found that in the children exposed in utero each $10 \mu\text{g}/\text{m}^3$ increase in mean daily PM2.5 exposure was associated with increased reports of runny nose/cough, wheeze, seeking health professional advice, and doctor diagnoses of upper respiratory tract infections, cold or flu.

In the those exposed during [early childhood](#) each $100 \mu\text{g}/\text{m}^3$ increase in peak 24-hour PM2.5 exposure was associated with increased use of asthma inhalers, but not any the health outcomes that were measured.

"Our findings suggest an increased susceptibility to acute respiratory infections during childhood after exposure in utero to a severe air pollution episode," they wrote.

"Severe episodic smoke events from bushfires and planned burns are common in Australia (and elsewhere), and their number will increase with climate change. Our findings highlight the particular vulnerability

of the very young, including unborn babies, to insults during critical developmental periods and the importance of protecting them during landscape fire smoke events and other causes of air pollution. Our findings suggest that in utero exposure to smoke may have a greater impact on long term respiratory health than exposure during the first two years of life. Protecting pregnant women and young [children](#) from episodic severe smoke events should be central to public [health](#) responses to poor air quality," Willis and colleagues concluded.

More information: Gabriela A Willis et al. Respiratory and atopic conditions in children two to four years after the 2014 Hazelwood coalmine fire, *Medical Journal of Australia* (2020). [DOI: 10.5694/mja2.50719](#)

Provided by Wiley

Citation: Hazelwood coalmine fire exposed unborn children to respiratory damage (2020, August 24) retrieved 25 April 2024 from <https://medicalxpress.com/news/2020-08-hazelwood-coalmine-exposed-unborn-children.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
