


# Neurons protect themselves from degeneration by adapting their metabolism

August 31 2020, by Leona Rohrbeck

---



Microscopy image of mouse neurons (grey), with mitochondria labeled in red and green. Credit: MPI f. Biology of Ageing/ E. Motori

A recent study in *Science Advances* by researchers at Karolinska Institutet and Max Planck Institute, shows that neurons can counteract

degeneration and promote survival by adapting their metabolism. It challenges the long-standing view that neurons cannot adjust their metabolism and therefore irreversibly degenerate. These findings may contribute to developing therapeutic approaches for patients with mitochondrial diseases and other types of neurodegeneration, such as Parkinson's Disease.

Mitochondria are the power plants of our [cells](#) and play an important role in providing energy for normal function of the tissues in our body. Nerve cells are particularly dependent on mitochondria for their activity. A growing body of evidence has linked mitochondrial dysfunction to some of the most devastating forms of [neurodegeneration](#), such as Parkinson's [disease](#), different ataxias and several peripheral neuropathies.

However, despite the urge to find strategies to prevent or arrest neurodegeneration, our understanding of the precise events underlying neuronal death caused by mitochondrial dysfunction is very limited.

Neurons are generally considered as terminally differentiated cells with very limited or no capacity to adapt their energy metabolism to challenging conditions. For some neurological diseases there is ample evidence that mitochondrial dysfunction can be tolerated for lengthy periods of time. The researchers therefore asked the question whether degenerating neurons may activate a program of metabolic resilience.

"We devised an innovative approach to purify degenerating neurons from the mouse brain and to analyze the global protein content, the proteome, of these neurons. Unexpectedly, the proteomic data showed the existence of a precisely coordinated, neuron-specific metabolic program that becomes activated in response to [mitochondrial dysfunction](#)," says Nils-Göran Larsson, corresponding author of the study and professor at the Department of Medical Biochemistry and

Biophysics at Karolinska Institutet.

## Metabolic rewiring makes neurons resistant to degeneration

In particular, the authors identified a form of metabolic rewiring (Krebs cycle anaplerosis) that makes neurons resistant to an otherwise very rapidly progressing degeneration. This type of metabolic adaptation was previously only thought to occur in peripheral tissues or supporting cells (glia cells) in the brain. The finding that neurons can induce anaplerosis could further demonstrate that it had a protective role. When anaplerosis was blocked, neurons died at a much faster pace and the disease became more severe.

The identification of certain forms of metabolic rewiring in dysfunctional [neurons](#) provide new mechanistic insights into the processes leading to neurodegeneration. Based on these new findings, the authors hope that it may be possible to develop therapeutic approaches to prolong neuronal survival and improve function in patients with [mitochondrial diseases](#) and other types of neurodegeneration.

**More information:** E. Motori et al. Neuronal metabolic rewiring promotes resilience to neurodegeneration caused by mitochondrial dysfunction, *Science Advances* (2020). [DOI: 10.1126/sciadv.aba8271](https://doi.org/10.1126/sciadv.aba8271)

Provided by Karolinska Institutet

Citation: Neurons protect themselves from degeneration by adapting their metabolism (2020, August 31) retrieved 27 April 2024 from <https://medicalxpress.com/news/2020-08-neurons-degeneration-metabolism.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.