


# New study explains potential causes for "happy hypoxia" condition in patients with the COVID-19 virus

August 21 2020, by Sheryl Cash

---



Credit: Pixabay/CC0 Public Domain

A new research study provides possible explanations for COVID-19 patients who present with extremely low, otherwise life-threatening

levels of oxygen, but no signs of dyspnea (difficulty breathing). This new understanding of the condition, known as silent hypoxemia or "happy hypoxia," could prevent unnecessary intubation and ventilation in patients during the current and expected second wave of coronavirus.

The condition "is especially bewildering to physicians as it defies basic biology," said Martin J. Tobin, MD, Loyola Medicine and Edward J. Hines Jr. VA Hospital pulmonologist and critical care specialist, and professor, Loyola University Chicago Stritch School of Medicine. Dr. Tobin is lead author of the study, "Why COVID-19 Silent Hypoxemia is Baffling to Physicians," appearing recently in the online *American Journal of Respiratory and Critical Care Medicine*.

"In some instances, the patient is comfortable and using a phone at a point when the physician is about to insert a breathing (endotracheal) tube and connect the patient to a mechanical ventilator," said Dr. Tobin, "which while potentially lifesaving carries its own set of risks."

The study included 16 COVID-19 patients with very low levels of oxygen (as low as 50%; normal blood oxygen saturation is between 95 and 100%), without shortness of breath or dyspnea, and found that "several pathophysiological mechanisms account for most, if not all, cases of silent hypoxemia. This includes the initial assessment of a patient's oxygen level with a pulse oximeter.

"While a pulse oximeter is remarkably accurate when oxygen readings are high, it markedly exaggerates the severity of low levels of oxygen when readings are low," said Dr. Tobin. "Another factor is how the brain responds to low levels of oxygen. As [oxygen levels](#) drop in patients with COVID-19, the brain does not respond until oxygen falls to very low levels—at which point a patient typically becomes short of breath," he said.

In addition, more than half of the patients had low levels of carbon dioxide, which may diminish the impact of an extremely low oxygen level.

"It is also possible that the [coronavirus](#) is exerting a peculiar action on how the body senses low levels of [oxygen](#)," said Dr. Tobin, which could be linked to the lack of smell, experienced by two-thirds of COVID-19 patients.

While acknowledging that further research is needed, the study concludes that "features about COVID-19 that physicians find baffling become less strange when viewed in the light of long-established principles of respiratory physiology."

Dr. Tobin said, "This new information may help to avoid unnecessary endotracheal intubation and mechanical ventilation, which presents risks, when the ongoing and much anticipated second wave of COVID-19 emerges."

**More information:** Martin J. Tobin et al. Why COVID-19 Silent Hypoxemia Is Baffling to Physicians, *American Journal of Respiratory and Critical Care Medicine* (2020). [DOI: 10.1164/rccm.202006-2157CP](https://doi.org/10.1164/rccm.202006-2157CP)

Provided by Loyola University Health System

Citation: New study explains potential causes for "happy hypoxia" condition in patients with the COVID-19 virus (2020, August 21) retrieved 23 April 2024 from <https://medicalxpress.com/news/2020-08-potential-happy-hypoxia-condition-patients.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.