

# Evaluating treatment for teen anxiety

August 25 2020

---



Jeffrey Strawn, MD, associate professor and anxiety expert in the Department of Psychiatry and Behavioral Neuroscience at the University of Cincinnati. Credit: UC Creative + Brand

Anxiety disorders are the most common mental illness in the U.S., with approximately 4.4 million children and adolescents affected, according to the Centers for Disease Control and Prevention.

"These [disorders](#) are not only common in children and teens, but, if untreated, result in considerable personal and [economic cost](#) over the lifetime," says Jeffrey Strawn, MD, associate professor and anxiety expert in the Department of Psychiatry and Behavioral Neuroscience at the University of Cincinnati.

In a new National Institute of Mental Health-funded study, led by Strawn and published in the *Journal of Clinical Psychiatry*, UC researchers took a first look at one particular medication for treatment of these disorders in [pediatric patients](#) to see if it was beneficial.

"Psychotherapy and medications reduce symptoms for many children and adolescents with anxiety disorders," says the UC Health physician. "In particular, the [selective serotonin reuptake inhibitors](#), or SSRIs, have shown benefit in numerous trials."

Strawn says SSRIs work by increasing serotonin in the brain. Serotonin is one of the chemical messengers that nerve cells use to communicate with one another. These medications block the reabsorption of serotonin into [nerve cells](#), making more serotonin available to improve transmission of messages between neurons.

"However, up to two in five children don't completely improve with existing medication treatments," he says. "While SSRIs represent the first line medication for anxious youth, predicting treatment response is difficult. Improvement varies considerably from patient to patient, often resulting in a trial-and-error process of medication selection and dosing. Additionally, clinicians have limited data to help them to determine which patients will respond to what treatments. To help predict which patients would improve most with one SSRI, called escitalopram, my colleagues and I compared its use to a placebo in adolescents with generalized anxiety disorder."

Fifty-one patients aged 12-17 were randomly chosen to be treated with either escitalopram or a placebo for eight weeks. Their anxiety symptoms and overall improvement were evaluated in addition to how well they tolerated the medication. They also had their blood drawn to assess how medication blood levels impacted their outcomes.

"We found this particular SSRI to be superior to a placebo in reducing [anxiety](#)," Strawn says. "Also, differences in how adolescents break down the medication affected blood levels, and these blood levels predicted certain side effects, like restlessness, jitteriness and insomnia. Understanding how blood levels vary could help us determine dosage."

Strawn and his collaborators also found that some patients improved more quickly than others. Patients who were slower metabolizers of the medication had better outcomes and improved faster when compared to patients who had increased metabolism of the [medication](#).

Strawn says this is the first controlled study of this SSRI for pediatric [anxiety disorders](#) and the first to assess the impact of metabolism on escitalopram [blood levels](#) in adolescents. He says a larger study with a more diverse population is needed.

"For clinicians treating anxious adolescents, this study provides preliminary answers to important questions about the effectiveness of this treatment. It may also help clinicians predict how quickly patients respond and identify which patients may be less likely to get better. This would help us select alternative treatments for patients who are less likely to respond," he says. "We hope this will open the door for more studies and eventually become a more effective treatment for patients in the future."

**More information:** Jeffrey R. Strawn et al, Escitalopram in Adolescents With Generalized Anxiety Disorder, *The Journal of Clinical Psychiatry* (2020). [DOI: 10.4088/JCP.20m13396](https://doi.org/10.4088/JCP.20m13396)

Provided by University of Cincinnati

Citation: Evaluating treatment for teen anxiety (2020, August 25) retrieved 26 April 2024 from <https://medicalxpress.com/news/2020-08-treatment-teen-anxiety.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.