

Nearly one in four young people experience food insecurity from adolescence to adulthood

August 5 2020



Credit: gldburger

Recent U.S. government data shows that 11% of households experienced food insecurity in the past year. Food insecurity, which is defined by



lacking dependable access to enough food for active and healthy living, can be especially hard on young people maturing from adolescence into "emerging adulthood" (i.e., 18-26 years old). Young people who experience food insecurity are more likely to suffer health problems, such as elevated blood pressure or prediabetes and linked risk factors.

A new University of Minnesota School of Public Health study recently examined the prevalence of food insecurity in <u>young people</u> and found that nearly one in four people making the transition from adolescence to adulthood lacked enough food to eat. The study was completed prior to the economic disruption of the COVID-19 pandemic, which likely has increased the extent and severity of food insecurity in the U.S. The findings were recently published in the *American Journal of Public Health*.

Researchers used data from Project EAT, a population-based, long-term study tracking weight-related health behaviors among adolescents into adulthood. The data includes information from 1,568 people who were surveyed as adolescents in 2009-2010 and again as adults in 2017-2018. Participants in the survey were recruited from 20 urban schools in Minneapolis-St. Paul, Minnesota. Food insecurity was identified through responses from survey takers indicating that they ate less than they thought they should or did not eat when hungry due to lack of money to buy food.

In addition to determining the prevalence of food insecurity among young people, the study also found:

• food insecurity was linked to poorer diet quality (e.g., less vegetables and whole grains, more sugar-sweetened drinks and added sugars), lower home availability of healthy foods, skipping breakfast, frequently eating at fast-food restaurants, binge eating, binge drinking and substance use;



- vulnerable groups that may benefit from targeted food insecurity interventions include emerging adults living with their own child(ren), persons in households receiving public assistance, and those who are not presently students but have no postsecondary degree/certificate;
- several health <u>risk factors</u> (e.g., binge drinking) co-occurred with food insecurity, suggesting that programs addressing emerging adult food insecurity may need to be coordinated with other health service interventions;
- there was no evidence that adolescent food insecurity leads to participating in health risk behaviors in emerging adulthood; however, young people who experience adolescent food insecurity may be more likely to also experience food insecurity in emerging adulthood.

"Our results add to consistent research findings that the transition from adolescence to adulthood is a period of vulnerability for food insecurity," said study lead Nicole Larson, a nutritional epidemiologist in the School of Public Health. "Risky health behaviors might be linked to food insecurity due to the psychological and emotional stresses associated with experiencing disrupted access to adequate food or chronic stresses of living in poverty. Although binge drinking and substance use were elevated among food insecure emerging adults, the observed differences were not high enough to suggest expenditures for alcohol and substances are a cause of insufficient money for food."

Larson recommends:

- creating assistance programs to address existing gaps in preventing food insecurity for emerging adults, and coordinating those programs with other health services (e.g., screening and treatment for binge eating, substance abuse);
- developing nutrition programs that teach <u>food</u> skills to emerging



adults;

• instituting policies to prevent <u>food insecurity</u> in emerging adulthood, including those aimed at simplifying the process of applying for Supplemental Nutrition Assistance Program (SNAP) benefits and expanding outreach around nutrition assistance programs to better reach emerging adults.

More information: Nicole Larson et al. Food Insecurity, Diet Quality, Home Food Availability, and Health Risk Behaviors Among Emerging Adults: Findings From the EAT 2010–2018 Study, *American Journal of Public Health* (2020). DOI: 10.2105/AJPH.2020.305783

Provided by University of Minnesota

Citation: Nearly one in four young people experience food insecurity from adolescence to adulthood (2020, August 5) retrieved 19 April 2024 from https://medicalxpress.com/news/2020-08-young-people-food-insecurity-adolescence.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.