

More than one drink a day may raise high blood pressure risk in adults with type 2 diabetes

September 9 2020



Credit: Pixabay/CC0 Public Domain

Drinking eight or more alcoholic beverages a week may increase the risk of high blood pressure (also called hypertension) among adults with

Type 2 diabetes, according to new research published today in the *Journal of the American Heart Association*, an open access journal of the American Heart Association.

"This is the first large study to specifically investigate the association of alcohol intake and hypertension among adults with Type 2 [diabetes](#)," said senior study author Matthew J. Singleton, M.D., M.B.E., M.H.S., M.Sc., chief electrophysiology fellow at Wake Forest University School of Medicine in Winston-Salem, North Carolina. "Previous studies have suggested that heavy alcohol consumption was associated with high [blood](#) pressure, however, the association of moderate alcohol consumption with high blood pressure was unclear."

Researchers examined the relationship between alcohol consumption and blood pressure in more than 10,000 adults with Type 2 diabetes (average age 63, 61% male). All were participants in the Action to Control Cardiovascular Risk in Diabetes (ACCORD) trial, one of the largest, long-term trials to compare different treatment approaches to reduce [heart disease risk](#) in adults with Type 2 diabetes, conducted from 2001-2005 at 77 centers across the U.S. and Canada.

All participants had Type 2 diabetes for an average of 10 years prior to enrolling in the study. In addition to 10 years with Type 2 diabetes, they were at increased risk for cardiovascular events because they had pre-existing cardiovascular disease; evidence of potential cardiovascular disease; or had at least two additional [cardiovascular disease](#) risk factors (such as high blood pressure, high cholesterol, smoking, or obesity).

In this study, alcohol consumption was categorized as none; light (1-7 drinks per week); moderate (8-14 drinks per week); and heavy (15 or more drinks per week). One [alcoholic beverage](#) was equivalent to a 12-ounce beer, 5-ounce glass of wine or 1.5 ounces of hard liquor. The number of drinks per week were self-reported by each participant via a

questionnaire when they enrolled in the study.

Blood pressure was categorized according to the 2017 American College of Cardiology/American Heart Association Guideline for the Prevention, Detection, Evaluation and Management of High Blood Pressure in Adults as normal (below 120/80 mm Hg); elevated (120-129/

Citation: More than one drink a day may raise high blood pressure risk in adults with type 2 diabetes (2020, September 9) retrieved 27 April 2024 from <https://medicalxpress.com/news/2020-09-day-high-blood-pressure-adults.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.