


# Heart disease in young people may be linked to diabetes exposure in the womb

September 28 2020

---



Credit: CC0 Public Domain

Heart disease in young adults and teenagers may be related to exposure to diabetes in the womb, according to new research published in *CMAJ* (*Canadian Medical Association Journal*).

A study of [young adults](#) and teenagers in Manitoba, Canada, whose mothers had diabetes during their pregnancies found the offspring had a 50% to 200% higher risk of developing [heart disease](#) before age 35 than those who were not exposed in the womb.

"These observations support our hypothesis that cardiovascular disease morbidity in adolescence and early adulthood is related to exposure to maternal diabetes in utero," writes Dr. Jonathan McGavock, Children's Hospital Research Institute of Manitoba and Associate Professor at the University of Manitoba, Winnipeg, Manitoba, with coauthors.

Researchers looked at data on more than 290 000 children born to almost 190 000 mothers in Manitoba between 1979 and 2005. Of the total children, 2.8% were exposed to [gestational diabetes](#) and 1.1% to pre-existing type 2 diabetes. Exposure to both types of diabetes became more common during the study period, a trend seen elsewhere in the world.

The three most frequent diagnoses among offspring exposed to diabetes were high blood pressure (8713 people), type 2 diabetes (3568 people) and [ischemic heart disease](#) (715).

"Using data for nearly all children born in Manitoba over a period of 30 years, we found that children born to mothers with diabetes in pregnancy were 30%-80% more likely to develop a heart condition and 2.0 to 3.4 times more likely to develop a heart disease risk factor (e.g., [high blood pressure](#), diabetes) than children born to mothers without diabetes in pregnancy," says Dr. McGavock.

Furthermore, heart conditions and risk factors were diagnosed 2 years earlier in the children exposed to diabetes in the womb.

Previous studies have documented the increased risk of type 2 diabetes,

but not cardiovascular disease, from in utero exposure to diabetes.

The authors suggest these findings may be useful for preventive health practices.

"Screening children with in utero exposure to diabetes for cardiovascular disease risk factors might help to evaluate the future burden related to cardiovascular disease in the population," the authors conclude.

"Intrauterine exposure to diabetes and risk of [cardiovascular disease](#) in adolescence and [early adulthood](#): a population-based birth cohort study" is published September 28, 2020

**More information:** *Canadian Medical Association Journal* (2020).  
[www.cmaj.ca/lookup/doi/10.1503/cmaj.190797](http://www.cmaj.ca/lookup/doi/10.1503/cmaj.190797)

Provided by Canadian Medical Association Journal

Citation: Heart disease in young people may be linked to diabetes exposure in the womb (2020, September 28) retrieved 6 May 2024 from <https://medicalxpress.com/news/2020-09-heart-disease-young-people-linked.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--