

From Pee Wee to NCAA, does football early in life affect concussion recovery later?

September 9 2020



Credit: CC0 Public Domain

A new study of NCAA football players has found that the age they first started playing tackle football may not affect their recovery after a concussion. The study is published in the September 9, 2020, online

issue of *Neurology*.

Evidence from previous research on the effect of early exposure to tackle [football](#) and long-term brain health has been mixed, with some studies showing worse performance on [neuropsychological tests](#) or changes in the brain, while other studies show no effect of playing football at a younger age.

"Because football is a very physical game, and concussions can occur, it has been hypothesized that playing at an early age may interfere with neurodevelopmental growth and increase a person's vulnerability to neurological problems later in life," said study author Thomas A. Buckley, Ed.D. A.T.C., of the University of Delaware in Newark, Del., and a member of the American Academy of Neurology. "Our study in NCAA football players, some who started playing tackle football as early as age 5, found no link between playing football earlier in life and worse recovery from concussion."

The study involved 621 NCAA football players from 30 schools as part of the NCAA-Department of Defense Concussion Assessment, Research and Education (CARE) Consortium. Athletes reported that they started playing tackle football at an average age of 10.

All athletes in the study experienced a recent concussion and all had baseline testing prior to their concussion and evaluations within six hours of the concussion. Of the group, 294 were evaluated for symptom severity one to two days after concussion, and 327 were evaluated once their symptoms resolved.

Approximately 46% of the athletes had experienced prior concussions.

Testing included common assessments for concussion severity and recovery including measures of memory, [reaction time](#) and speed of eye

movements, a balance test, and a survey where athletes rank the severity of their symptoms.

Researchers found no evidence that athletes who started playing tackle football at an earlier age had longer recovery times, worse performance on thinking and memory tests, worse balance, or greater psychological problems.

"It's encouraging that our study found no link between earlier exposure to playing tackle football in childhood and adolescence and worse outcomes after concussion while still in college," said Buckley. "Our results may be reassuring for players and parents, but it is important to note that we were looking at one [concussion](#) at one point in time and current testing may not be sensitive enough to detect subtle changes. Larger studies are needed to evaluate recovery from multiple concussions when people get older."

Limitations of the study include that the athletes relied on memory to report at what age they first started playing football. It was also assumed that they played football every year thereafter, which may not have been true for all athletes. Participation in sports other than football was also not accounted for.

Provided by American Academy of Neurology

Citation: From Pee Wee to NCAA, does football early in life affect concussion recovery later? (2020, September 9) retrieved 26 April 2024 from <https://medicalxpress.com/news/2020-09-pee-wee-ncaa-football-early.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--