

Smartwatch app compared to standard ECG for acute coronary syndromes

September 1 2020



For patients with acute coronary syndrome, a smartwatch app can detect



normal electrocardiography (ECG) and ST-segment and non-ST-segment elevations, with accuracy comparable to that of a standard ECG, according to a study published online Aug. 31 in *JAMA Cardiology* to coincide with the European Society of Cardiology Congress 2020: The Digital Experience, held virtually from Aug. 29 to Sept. 1.

Carmen Anna Maria Spaccarotella, M.D., from Magna Graecia University in Catanzaro, Italy, and colleagues examined the feasibility and accuracy of a <u>smartwatch</u> app for recording multiple ECG leads and detecting ST-segment changes associated with <u>acute coronary syndromes</u> . Multiple-channel ECGs were obtained in 100 participants using a commercially available smartwatch. Nine bipolar ECG tracings were obtained by placing the watch in different body positions and compared to a simultaneous standard 12-lead ECG.

The researchers found that for identification of a normal ECG, STsegment elevation changes, and non-ST-segment elevation changes, there was agreement between the smartwatch and standard ECG (Cohen κ coefficients, 0.90 [95 percent confidence interval (CI), 0.78 to 1.00], 0.88 [95 percent CI, 0.78 to 0.97], and 0.85 [95 percent CI, 0.74 to 0.96], respectively). Agreement was demonstrated between the smartwatch and standard ECG to detect the amplitude of ST-segment changes in the Bland-Altman analysis. The smartwatch showed sensitivity and specificity of 84 and 100 percent, respectively, for diagnosis of normal ECG; 93 and 95 percent, respectively, for ST elevation; and 94 and 92 percent, respectively, for non-ST <u>elevation</u> ECG alterations.

"This <u>agreement</u> may allow the potential for earlier diagnosis of acute coronary syndromes using smartwatch technology," the authors write.

More information: Carmen Anna Maria Spaccarotella et al. Multichannel Electrocardiograms Obtained by a Smartwatch for the



Diagnosis of ST-Segment Changes, *JAMA Cardiology* (2020). DOI: 10.1001/jamacardio.2020.3994

Mintu P. Turakhia. Addressing the New Last-Mile Problem in Health Care With Home-Based Complex Diagnostics, *JAMA Cardiology* (2020). DOI: 10.1001/jamacardio.2020.4379

Copyright © 2020 HealthDay. All rights reserved.

Citation: Smartwatch app compared to standard ECG for acute coronary syndromes (2020, September 1) retrieved 8 May 2024 from <u>https://medicalxpress.com/news/2020-09-smartwatch-app-standard-ecg-acute.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.