


Researchers find a way to help stem cells work for the heart

September 10 2020, by Karen Finney



This illustration shows how an sEH inhibitor plus stem cell treatment could improve heart function following a heart attack. Credit: UC Regents/UC Davis Health/Zina Deretsky

Blocking an enzyme linked with inflammation makes it possible for stem cells to repair damaged heart tissue, new research from UC Davis Health scientists shows.

The enzyme—soluble epoxide hydrolase, or sEH—is a known factor in lung and joint [disease](#). Now, it is a focus of [heart](#)-disease researchers as well.

The authors expect their work will lead to a new and powerful class of compounds that overcome the [cell death](#) and muscle thickening associated with [heart failure](#)—a common outcome of a heart attack or long-term cardiovascular disease.

The study, conducted in mice, is published in *Stem Cells Translational Medicine*. The work was led by cardiologist Nipavan Chiamvimonvat.

"The science of using stem cell treatments for heart disease has been full of promise but little progress," Chiamvimonvat said. "The inflammation that accompanies heart disease is simply not conducive to stem cell survival."

Prior studies show that stem cells transplanted to the heart experience significant attrition in a very short period of time.

"We think we've found a way to quiet that inflammatory environment, giving stem cells a chance to survive and do the healing work we know they can do," said lead author and cardiovascular medicine researcher Padmini Sirish.

A significant and growing cardiovascular disease

Heart failure occurs when the heart no longer pumps blood efficiently, reducing oxygen throughout the body. Survival is around 45-60% five years after diagnosis. It affects approximately 5.7 million people in the U.S., with annual costs of nearly \$30 billion. By 2030, it could affect as many as 9 million people at a cost of nearly \$80 billion.



Researchers Phung Thai (left) and Padmini Sirish were part of a research team seeking stem cell solutions to heart failure care. Credit: UC Regents / UC Davis Health

Chiamvimonvat often treats patients with heart failure and has been frustrated by the lack of effective medications for the disease, especially when it progresses to later stages. The best current therapies for end-stage heart failure are surgical—heart transplants or mechanical heart pumps.

She expects her outcome will lead to a two-part treatment for end-stage heart failure that combines an sEH-blocking compound with stem cell transplantation.

Testing a two-step stem cell treatment

Chiamvimonvat and her team tested that theory in mice using cardiac muscle cells known as cardiomyocytes, which were derived from human-induced pluripotent stem cells (hiPSCs). A hiPSC is a cell taken from any [human tissue](#) (usually skin or blood) and genetically modified to behave like an embryonic stem cell. They have the ability to form all cell types.

The specific sEH inhibitor used in the study—TPPU—was selected based on the work of co-author and cancer researcher Bruce Hammock, whose lab has provided detailed studies of nearly a dozen of the enzyme inhibitors.

The researchers studied six groups of mice with induced heart attacks. A group treated with a combination of the inhibitor and hiPSCs had the best outcomes in terms of increased engraftment and survival of transplanted [stem cells](#). That group also had less heart muscle thickening and improved cardiac function.

"Taken together, our data suggests that conditioning hiPSC cardiomyocytes with sEH inhibitors may help the [cells](#) to better survive the [harsh conditions](#) in the muscle damaged by a heart attack," Hammock said.

The path to clinical trials begins

Chiamvimonvat and her team will next test the process in a larger research animal model to provide more insights into the beneficial role of TPPU. She also wants to test the process with additional heart diseases, including atrial fibrillation. Her ultimate goal, in collaboration with Hammock, is to launch human clinical trials to test the safety of the

treatment.

"It is my dream as a clinician and scientist to take the problems I see in the clinic to the lab for solutions that benefit our patients," Chiamvimonvat said. "It is only possible because of the incredible strength of our team and the extraordinarily collaborative nature of research at UC Davis."

More information: Padmini Sirish et al, Suppression of inflammation and fibrosis using soluble epoxide hydrolase inhibitors enhances cardiac stem cell-based therapy, *STEM CELLS Translational Medicine* (2020).

[DOI: 10.1002/sctm.20-0143](https://doi.org/10.1002/sctm.20-0143)

Provided by UC Davis

Citation: Researchers find a way to help stem cells work for the heart (2020, September 10) retrieved 18 April 2024 from <https://medicalxpress.com/news/2020-09-stem-cells-heart.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.