

# Putting virtual rehab for stroke patients to the test

September 24 2020

---



The specially designed games included a boxing game where the player spars with a virtual partner, 'Bullseyes and Barriers' where the player hits or avoids targets and 'In the Kitchen' which sees the player search for objects in a realistic kitchen layout. They also tested a game which involves lifting rods on a table while a portable low cost motion sensor tracks the patient's movements. These balancing exercises are targeted to improve spatial neglect. Credit: University of East Anglia

Researchers at the University of East Anglia have been putting virtual

reality rehabilitation for stroke survivors to the test.

They have created a new gaming platform which uses low cost videogame technology to improve the lives of [stroke patients](#) suffering from complex neurological syndromes caused by their stroke.

And they have been working with [stroke survivors](#) and their carers to see how they get on with using the new technology.

It is hoped that this type of technology, which can be used in patients' own homes, could prove particularly beneficial for rehabilitation during periods of lockdown, social distancing and shielding—caused by the COVID-19 pandemic.

There are 1.2 million stroke survivors in the UK and around 20-40 percent of them suffer a debilitating disorder called "hemispatial neglect." The condition leaves people unaware of things located on one side of their body and greatly reduces their ability to live independently.

A new study published today is the first to explore the usability of virtual reality games for helping stroke patients recover from this condition.

Lead researcher Dr. Stephanie Rossit, from UEA's School of Psychology, said: "A stroke can damage the brain, so that it no longer receives information about the space around one side of the world. If this happens, people may not be aware of anything on one side, usually the same side they also lost their movement. This is called hemispatial neglect. These people tend to have very poor recovery and are left with long-term disability. Patients with this condition tell us that it is terrifying. They bump into things, they're scared to use a wheelchair, so it really is very severe and life-changing."

Current rehabilitation treatments involve different types of visual and

physical coordination tasks and cognitive exercises—many of which are paper and pen based.

"We have pioneered new non-immersive VR technology which updates these paper and pen tasks for the digital age—using videogame technology instead. But we know that adherence is key to recovery—so we wanted to know more about how people who have had strokes get on with using the new technology."

The team tested out three new games on stroke survivors, their carers and stroke clinicians (including an occupational therapist, healthcare assistant, physiotherapist and clinical psychologist) to better understand how user-friendly the technology is.

The specially designed games included a boxing game where the player spars with a virtual partner, "Bullseyes and Barriers" where the player hits or avoids targets and "In the Kitchen" which sees the player search for objects in a realistic kitchen layout.

They also tested a game which involves lifting rods on a table while a portable low cost motion sensor tracks the patient's movements. These balancing exercises are targeted to improve spatial neglect.

The UEA researchers worked with industry collaborator Evolv to create the games, which aim to improve rehabilitation by including elements such as scoring and rewards to engage the patient and improve adherence to their treatment.

David Fried, CEO of Evolv, said: "Traditional rehabilitation treatment is quite monotonous and boring, so this gamification aspect is really important to help people stick with their treatment. Our goal is to use technology to make rehabilitation fun and engaging and we have applied this to our Spatial Neglect therapy solution. The great thing about it is

that it can be used not only in clinics but also in patients' homes, thereby giving them access to personalized rehabilitation without leaving their living room."

The research team carried out a series of focus groups, questionnaires and interviews to check things like whether the instructions were clear and if the technology was easy enough to use. This is important because gathering feedback from end-users during the development stages is critical to enhance future use and adherence.

Helen Morse, also from UEA's School of Psychology, said: "Overall we found that the end-users were really positive and interested in using virtual reality games to help their special neglect. The participants particularly liked the competition elements and performance feedback like cheers and clapping in the games, and we hope that this will help increase engagement with rehabilitation. But some of the older participants found that their lack of experience with technology could be a potential barrier to using the new gaming platform," she added.

"We have used all the feedback we gathered to fine-tune our rehabilitation therapy for spatial neglect called 'c-SIGHT' which involves lifting and balancing rods. With competitive funding from the Stroke Association we are now running a clinical trial in the east of England to test the feasibility of this tool in people's own homes. Being able to carry out this type of rehabilitation at home is really important because it means patients can do rehabilitation without a therapist present. This is particularly critical right now because of the COVID-19 pandemic and the need for social distancing and shielding."

Dr. Rossit said: "This technology has the potential to improve both independence and quality of life of stroke survivors. We also anticipate other benefits such as improved cost-effectiveness of stroke [rehabilitation](#) for the NHS. This innovative therapy could also improve

long-term care after stroke by providing a low-cost enjoyable therapy that can be self-administered anywhere and anytime, without the need for a therapist to be present on every occasion."

This research was funded by the NIHR Brain Injury MedTech Co-operative (MIC) and a further trial is being funded by the Stroke Association.

"Exploring perspectives from stroke survivors, carers and clinicians on virtual reality as a precursor to using telerehabilitation for spatial neglect post-[stroke](#)" is published in the journal *Neuropsychological Rehabilitation*.

**More information:** Helen Morse et al. Exploring perspectives from stroke survivors, carers and clinicians on virtual reality as a precursor to using telerehabilitation for spatial neglect post-stroke, *Neuropsychological Rehabilitation* (2020). [DOI: 10.1101/2020.01.07.20016782](#)

Provided by University of East Anglia

Citation: Putting virtual rehab for stroke patients to the test (2020, September 24) retrieved 25 April 2024 from <https://medicalxpress.com/news/2020-09-virtual-rehab-patients.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--