


How do basal ganglia neurons convey information for the control of voluntary movements?

October 27 2020



Summary of findings. Activity of multiple neurons located in the arm regions of the basal ganglia was recorded while monkeys performed a motor task that required their arm movements. Most neurons in the basal ganglia exhibited non-correlated activity, although they showed firing rate changes during the task. Credit: Atsushi Nambu

It is common that neurons transmit information to another group of

neurons by increasing or decreasing their activity, i.e. 'firing rate changes.' In addition to firing rate changes, synchronized activity of a certain group of neurons, i.e. correlated activity, has been suggested to play an important role in conveying information. This study revealed that, in the basal ganglia, information for the movement control is conveyed primarily by firing rate changes and correlated activity play only minor role in healthy conditions.

The research team consists of Dr. Woranan Wongmassang, Professor Atsushi Nambu, and their colleagues recorded neuronal [activity](#) of multiple [neurons](#) simultaneously in the basal ganglia while monkeys performed a motor task that required their arm movements. They found that most neurons located in the arm regions of the basal ganglia showed firing rate changes in relation to arm movements. On the other hand, the percentage of neurons that showed correlated activity during the task was very small.

Professor Nambu claims, "Unlike in healthy conditions, a large proportion of neurons in the basal ganglia show strong synchronized activity in Parkinson's disease. So, it is possible that symptoms could be improved by decreasing abnormally increased correlated activity in the [basal ganglia](#). The findings provide important clues to develop [effective treatment](#) for Parkinson's disease."

The article, "Weakly correlated activity of pallidal neurons in behaving monkeys" was published in *European Journal of Neuroscience*.

More information: Woranan Wongmassang et al, Weakly correlated activity of pallidal neurons in behaving monkeys, *European Journal of Neuroscience* (2020). [DOI: 10.1111/ejn.14903](https://doi.org/10.1111/ejn.14903)

Provided by National Institutes of Natural Sciences

Citation: How do basal ganglia neurons convey information for the control of voluntary movements? (2020, October 27) retrieved 26 April 2024 from <https://medicalxpress.com/news/2020-10-basal-ganglia-neurons-convey-voluntary.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.