

# COVID: Women are less likely to put themselves in danger

October 16 2020

---



Credit: CC0 Public Domain

The increased adherence of women to coronavirus policies may be one of the reasons for the lower vulnerability and mortality that they experienced, compared to men, in the early phase of the epidemic.

"Policymakers who promote a 'new normality' of reduced mobility, face masks and other behavioral changes, should, therefore, design a gender-differentiated communication if they want to increase the compliance of men," says Vincenzo Galasso, one of the authors of a new study on gender differences in the reaction to COVID-19.

Two of the authors of the study, which appears in *Proceedings of the National Academy of Sciences*, are scholars of Bocconi University, Vincenzo Galasso and Paola Profeta, affiliated to Bocconi's COVID Crisis Lab.

The authors observe substantial [gender differences](#) in both attitudes and behaviors through a two-wave survey (March and April 2020), with 21,649 respondents in Australia, Austria, France, Germany, Italy, New Zealand, the U.K. and the U.S., which is part of the international project REPEAT (REpresentations, PERceptions and ATtitudes on COVID-19).

Women around the world are more inclined than men to consider COVID-19 a very serious health problem (59% against 48.7% in March and 39.6% against 33% in April); they are more inclined to agree with public policies that fight the pandemic, including mobility restrictions and social distancing (54.1 against 47.7 in an index that goes from 1 to 100 in March and 42.6 against 37.4 in April) and are clearly more inclined to follow the rules concerning COVID-19 (88.1% against 83.2% in March and 77.6% against 71.8% in April).

The share of individuals complying with the rules drops over time, particularly in Germany, from 85.8% of women and 81.5% of men in March to 70.5% of women and 63.7% of men in April, but the large [gender](#) gap persists.

"The biggest differences between men and women relate to behaviors that serve to protect others above all, such as coughing in the elbow, unlike those that can protect both themselves and others," says Profeta. Gender differences persist even after the study controlled a large number of sociodemographic characteristics and psychological factors.

However, such differences are smaller among [married couples](#) who live together and share their views with each other, and among individuals most directly exposed to the pandemic. They decrease over time if men and women are exposed to the same flow of information about the pandemic.

**More information:** Vincenzo Galasso et al, Gender differences in COVID-19 attitudes and behavior: Panel evidence from eight countries, *Proceedings of the National Academy of Sciences* (2020). [DOI: 10.1073/pnas.2012520117](#)

Provided by Bocconi University

Citation: COVID: Women are less likely to put themselves in danger (2020, October 16)  
retrieved 2 May 2024 from <https://medicalxpress.com/news/2020-10-covid-women-danger.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
---