


How an egg cell's 'operating manual' sets the stage for fertility

October 8 2020



An illustration of gene expression underlying wave1 and wave2 follicle production. Each dot on the diagram mathematically summarizes the gene expression of individual ovarian helper cells that surround developing egg cells in two-dimensional gene space. Developing cells fall into clusters indicated by a common color and clusters are present in the ovary only at single developmental times (i.e. E14.5, E16.5, etc.) indicated for cells within the dashed zones. It can be seen that each time zone houses precisely two types of follicle cells, which were found to come from future wave 1 follicles (4, odd numbers >4) or wave 2

two follicles (even numbers >4). Credit: Figure is courtesy of Allan Spradling and Wanbao Niu.

Recently published work from Carnegie's Allan Spradling and Wanbao Niu revealed in unprecedented detail the genetic instructions immature egg cells go through step by step as they mature into functionality. Their findings improve our understanding of how ovaries maintain a female's fertility.

The general outline of how immature egg cells are assisted by specific ovarian helper cells starting even before a female is born is well understood. But Spradling and Niu mapped the gene activity of thousands of immature egg cells and [helper cells](#) to learn how the stage is set for fertility later in life.

Even before birth, [germ cells](#) assemble a finite number of cell clusters called follicles in a female's ovaries. Follicles consist of an immature egg cell and some 'helper' cells, which guide the egg through its maturation process. It is from a [follicle](#) that a mature egg cell bursts during ovulation.

"Follicles are slowly used up during a female's reproductive lifespan and menopause ensues when they run out. Understanding what it takes for follicles to form and develop successfully, helps us learn how damaged genes or adverse environmental factors, including a [poor diet](#), can interfere with fertility," explained Spradling. "By documenting the follicle's genetic operating manual, problems in egg development that might lead to birth defects—as a result of mutations or due to bad nutrition—can be better understood and reduced."

Spradling and Niu sequenced 52,500 mouse ovarian [cells](#) at seven stages

of follicle development to determine the relative expression of thousands of genes and to characterize their roles.

The study also illuminated how mammalian ovaries produce two distinct types of follicles and Spradling and Niu were able to identify many differences in gene activity between them.

The first, called wave 1 follicles, are present in the ovary even before puberty. In mice, they generate the first fertile [eggs](#); their function in humans is poorly understood, but they may produce useful hormones. The second type, called wave 2 follicles, are stored in a resting state but small groups are activated to mature during a female's hormonal cycle, ending in ovulation. The findings help clarify each type's roles.

Spradling and Niu's work and all its underlying data were published by *Proceedings of the National Academy of Sciences*.

"We hope our work will serve as a genetic resource for all researchers who study reproduction and fertility," concluded Spradling.

More information: Wanbao Niu et al, Two distinct pathways of pregranulosa cell differentiation support follicle formation in the mouse ovary, *Proceedings of the National Academy of Sciences* (2020). [DOI: 10.1073/pnas.2005570117](https://doi.org/10.1073/pnas.2005570117)

Provided by Carnegie Institution for Science

Citation: How an egg cell's 'operating manual' sets the stage for fertility (2020, October 8) retrieved 19 April 2024 from <https://medicalxpress.com/news/2020-10-egg-cell-manual-stage-fertility.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.