


Home-time metric needed to judge hospital readmissions, studies suggest

October 28 2020



Days After Discharge. Credit: UT Southwestern Medical Center

Two new studies suggest Medicare's system of penalizing hospitals if too many patients are readmitted within 30 days should also look at whether the patients were well enough to remain in their home during that time.

The studies propose adding a new metric to examine how many of the initial 30 days following hospitalization are actually spent at home—a

"risk-adjusted 30-day home time" test to balance the current "30-day risk-standardized [readmission](#) rate" measure.

"The current readmission penalty has been a matter of debate," says Ambarish Pandey, M.D., first author of the study published today in *JAMA Cardiology*, as well as of an earlier study published in *Circulation* in July.

"Some hospitals that have had lower readmission rates were actually having [high mortality rates](#)," says Pandey, assistant professor of internal medicine at UT Southwestern. "If you die, you're not going to be readmitted."

In addition, the current focus on [hospital](#) readmissions does not take into account patients who wind up in a [skilled nursing facility](#) or intermediate/long-term care facility after hospital discharge, Pandey points out.

A "30-day home time" metric, he says, would paint a more comprehensive picture and be more patient-centered.

The federal Centers for Medicare & Medicaid Services (CMS) tracks readmissions as part of its effort to improve the quality of care in the nation's hospitals. In 2019, CMS penalized almost 2,600 U.S. hospitals by withholding an estimated \$563 million in Medicare payments after determining they exceeded the expected number of patient readmissions, according to the *Circulation* study.

CMS focuses its readmissions standard on cases involving heart failure, [myocardial infarction](#) (heart attack), and pneumonia.

The studies examined how applying a 30-day home-time metric would have affected the quality rankings of hospitals treating heart failure (the

JAMA Cardiology study) and acute myocardial infarction (*Circulation*), based on Medicare claims data. In both studies, the researchers found that using the 30-day home-time metric changed the quality ranking a hospital had received under the readmission standard about 30 percent of the time.

The *JAMA Cardiology* study found that [heart failure](#) patients spent a risk-adjusted median of 21.77 days at home in the 30 days after discharge. However, 6.61 days were spent in an intermediate/long-term or skilled nursing facility, and another 1.37 days were lost to death. Readmission accounted for only 1.25 of the days lost.

Similarly, in the *Circulation study*, patients stayed home a risk-adjusted median of 24.0 days, with 4.7 days subtracted for nursing facilities, 2.5 days for death, and 1.0 days for readmission.

Hospitals with higher 30-day home time were larger and more likely to be [academic medical centers](#), according to the studies.

The findings suggest that the 30-day home-time metric complements the existing readmission rate metric "by not only accounting for post-discharge mortality but also the variability in the post-acute care utilization of intermediate/long-term care facility and [skilled nursing facilities]," according to today's *JAMA Cardiology* study.

In addition, "a home time metric may be more easily understood by patients and clinicians," the study says.

More information: Ambarish Pandey et al. Evaluation of Risk-Adjusted Home Time After Acute Myocardial Infarction as a Novel Hospital-Level Performance Metric for Medicare Beneficiaries, *Circulation* (2020). [DOI: 10.1161/CIRCULATIONAHA.119.044765](https://doi.org/10.1161/CIRCULATIONAHA.119.044765)

Provided by UT Southwestern Medical Center

Citation: Home-time metric needed to judge hospital readmissions, studies suggest (2020, October 28) retrieved 13 March 2024 from <https://medicalxpress.com/news/2020-10-home-time-metric-hospital-readmissions.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.