


Method used to track Ebola's trajectory being applied to COVID-19

October 5 2020



The map demonstrates risk of transmission between locations, with darker colors indicating higher risk of transmission. The links are estimated from the time of infection, distance and population density of each administrative unit. The administrative units are colored by date of infection, with uninfected units in gray. Credit: University of South Florida

What exactly happened in Asia that caused SARS-CoV-2 to rapidly



spread across the region and then essentially came to a halt there? That's what researchers from the University of South Florida are trying to determine in a new study funded by an NSF Rapid Response grant.

Andrew Kramer, a professor of integrative biology at USF, is utilizing his internationally recognized expertise on the Ebola <u>outbreak</u> and applying it to help pinpoint how the virus, which originated in Wuhan, China, became a global pandemic. Instead of focusing on how the number of cases varies by location, Kramer is looking at what locations reported cases and when. That will better indicate if an area was impacted by a big city far away or a small province located nearby. He's focusing on the early weeks of the pandemic and Asia in particular, as the virus had not yet been influenced by other geographic areas, unlike the United States.

"The number of cases can be a noisy signal. When a pathogen is emerging, the reported number of cases may not say much about what other locations are most at risk," Kramer said. "And this is especially true early in an outbreak when rapid action can be most effective."

Kramer is studying the predictability of how COVID-19 spread in China and throughout Southeast Asia. He's using data on <u>travel restrictions</u> and quarantines to determine what factors facilitated transmission and what slowed it down. The World Health Organization reports the nation has had 90,000 cases of COVID-19 and 4,700 deaths. Cities across China started shutting down in January. It has since come to average fewer than 30 new cases a day, with some large regions, known as prefectures, not reporting cases at all. In comparison, the U.S., which has 25 percent of the population size of China and has primarily remained open, has reported 7 million cases and 208,000 deaths. It continues to report tens of thousands of new cases each day.

This information will help build a framework for predicting where



secondary outbreaks may occur and what interventions may alter their trajectory, which can assist <u>government agencies</u> in minimizing risk in real-time. Kramer is also currently working with the Centers for Disease Control and Prevention and the Center for Ecology of Infectious Diseases at the University of Georgia to help the Ministry of Public Health in the Democratic Republic of the Congo combat Ebola, its 11th outbreak since the disease was first detected there in 1976. He's informing the Ministry of Public Health's decisions on where individuals should be screened, and where treatment centers may soon be needed.

Provided by University of South Florida

Citation: Method used to track Ebola's trajectory being applied to COVID-19 (2020, October 5) retrieved 3 May 2024 from https://medicalxpress.com/news/2020-10-method-track-ebola-trajectory-covid-.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.