


Fewer older Korean Americans use mental health services

October 23 2020, by Theresa M Kreif



Credit: CC0 Public Domain

Nearly 30% of older Korean American immigrants fell within the category of experiencing mental distress, but only 5.7% had used professional mental health services according to a study conducted by the University of Hawai'i at Mānoa Myron B. Thompson School of Social Work faculty Seunghye Hong. These findings bring awareness to the major social work and public health concerns regarding the gap

between mental health needs and service use in racial/ethnic minorities.

These were some of the results found in the Study of Older Korean Americans, a multi-state survey that was conducted on 2,150 Korean immigrants ages 60 or older (mean age was 73.4 years old). The surveys took place at multiple locations and events (e.g. churches, temples, [grocery stores](#), small group meetings and cultural events) from April 2017 to February 2018.

Five states were selected as study sites based on differing proportions of Korean densities: California, New York, Texas, Hawai'i and Florida. In each state, a primary metropolitan statistical area with a representative proportion of Korean Americans was selected.

"Mental [health](#) needs and [service](#) use was already a big concern for older immigrant populations, and now with the COVID-19 pandemic it has become even more so," said Hong.

The study used the Kessler Psychological Distress Scale 6 to assess participants' level of [mental distress](#), measuring the frequency of experiencing six different manifestations of psychological distress over the past 30 days. Participants were also asked to rank their overall mental health from excellent to poor, as well as how many times they had used professional mental health services during the past 12 months.

The prevalence of mental distress was notably higher in this study than that reported in national samples of the U.S. population. 22% of individuals reported their mental health status to be either fair or poor, which is substantially higher than the 9–10.3% reported in national samples of older non-Hispanic Whites.

The study highlights the need for intervention efforts to focus on promoting [self-awareness](#) and recognition of mental [distress](#) among older

immigrant populations who are at high risk of mental health problems and in need of professional services.

More information: Yuri Jang et al. The role of self-rated mental health in seeking professional mental health services among older Korean immigrants, *Aging & Mental Health* (2020). [DOI: 10.1080/13607863.2020.1758908](https://doi.org/10.1080/13607863.2020.1758908)

Provided by University of Hawaii at Manoa

Citation: Fewer older Korean Americans use mental health services (2020, October 23) retrieved 27 April 2024 from <https://medicalxpress.com/news/2020-10-older-korean-americans-mental-health.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.