

## **Improving the precision of bionic devices** with light

October 12 2020



Credit: CC0 Public Domain

For a person with normal hearing, sound waves travel in the fluid-filled cochlea of the inner ear, causing sensory hair cells to react and send signals to the brain via the auditory neurons. For those with hearing loss, these hair cells have died. To counter this, a cochlear implant can be inserted which uses electrical stimulation to mimic the function of a normal hearing response. Although cochlear implants have been a wonderful breakthrough, the quality of sound has room for



improvement; the way that the electrodes activate the neurons is not very accurate. This leads to poor speech understanding when there is background noise, and poor perception of complex sounds such as music.

Prof. Rachael Richardson leads a team at the Bionics Institute researching ways to improve the quality of hearing for people with <u>cochlear implants</u>. The team have used optogenetics, which involves a simple genetic alteration of auditory nerves with a light sensitive molecule, enabling them to be activated via focused light beams. The results have proven that through the use of optogenetics the precision of bionic devices can be improved.

"There is so much scope to improve the quality of information transfer from bionic devices to the brain. The ability to precisely control <u>nerve</u> <u>activity</u> will be a game changer for the treatment of many health conditions," explains Prof. Richardson.

The findings have been published today in the *Journal of Neural Engineering* 

Higher fidelity cochlear implants will be transformative for people with hearing impairment by improving both the quality and realism of hearing. This will reduce the disability experienced by people with hearing loss in everyday life.

Sam McLarty, a cochlear implant recipient is extremely appreciative of advancements in technology and the continuous research undertaken by the Bionics Institute to improve cochlear implant devices. "I look forward to being able to go out to a restaurant with my family and friends and not find the <u>background noise</u> a challenge."

More information: Alex Thompson et al. Hybrid optogenetic and



electrical stimulation for greater spatial resolution and temporal fidelity of cochlear activation, *Journal of Neural Engineering* (2020). DOI: 10.1088/1741-2552/abbff0

## Provided by Bionics Institute

Citation: Improving the precision of bionic devices with light (2020, October 12) retrieved 27 April 2024 from <u>https://medicalxpress.com/news/2020-10-precision-bionic-devices.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.