

Study explores sleep apnea, autoimmune disease link

November 17 2020, by Allyson Mann




Illustration of obstruction of ventilation. Credit: Habib M'henni / public domain

New research by University of Georgia scientists sheds light on why

people with obstructive sleep apnea may have associated autoimmune disorders. The results could lead to better approaches to treatment and possibly new drug therapies.

The study, led by Bradley Phillips, builds on previous research showing that obstructive sleep [apnea](#) increases the risk for [autoimmune diseases](#). Immune system [disorders](#) are a result of either low activity or over activity of the immune system and include well known conditions such as lupus and rheumatoid arthritis.

"This paper looks at what may be the underlying mechanisms that increase someone's risk for autoimmune disorders because they have untreated obstructive sleep apnea," said Phillips, director of UGA's Biomedical and Health Sciences Institute.

Obstructive sleep apnea, or OSA, is a disorder that occurs when throat muscles relax temporarily, narrowing or collapsing the airway and momentarily cutting off breathing during sleep. The main treatment for OSA is [continuous positive airway pressure](#), or CPAP, which pumps air through a mask to keep the airway open. About 40% of patients can't tolerate CPAP.

OSA damages the health of 35% of Americans and results in increased risk of several autoimmune disorders, like rheumatoid arthritis and psoriasis, for example, but the molecular links to autoimmunity are poorly understood.

Phillips and the team looked at four cytokines—proteins involved in cell signaling—associated with autoimmune disease. They evaluated the cytokines in three groups of adults: patients with untreated OSA, patients with OSA who were receiving treatment, and people who did not have OSA. The study results revealed abnormal levels of the four cytokines in patients with untreated sleep apnea, suggesting that poor sleep and

inadequate oxygen supply may affect the cytokines.

This study, published in *Clinical Immunology*, is one of four investigating possible links between obstructive sleep apnea and specific diseases. In addition to [autoimmune disorders](#), the team is also looking at neurodegenerative disorders, cardiovascular disease and renal disease.

"The relationship between OSA and other diseases is always complex to study. OSA in adults is commonly first diagnosed in midlife, but increases with age," said Phillips, professor in the College of Pharmacy. "With increased age, you are also at risk for other diseases, and it's very challenging for clinicians and researchers to determine if it's OSA alone that causes other disorders, or if OSA only worsens the severity and progression of an underlying [disease](#). In the case of high blood pressure, we know untreated OSA can cause hypertension and make blood pressure drug therapy ineffective. If [obstructive sleep apnea](#) is a key player, then it should be evaluated and treated along with other conditions."

More information: Bradley G. Phillips et al, Airways therapy of obstructive sleep apnea dramatically improves aberrant levels of soluble cytokines involved in autoimmune disease, *Clinical Immunology* (2020). [DOI: 10.1016/j.clim.2020.108601](https://doi.org/10.1016/j.clim.2020.108601)

Provided by University of Georgia

Citation: Study explores sleep apnea, autoimmune disease link (2020, November 17) retrieved 26 April 2024 from <https://medicalxpress.com/news/2020-11-explores-apnea-autoimmune-disease-link.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.