


# Frozen eggs and ovarian tissue helped women conceive children after breast cancer

November 19 2020

---



Credit: Unsplash/CC0 Public Domain

Women with breast cancer whose eggs or ovarian tissue were frozen had more children after their diagnosis than did women who did not undergo fertility preservation using those methods before start of cancer

treatment. That is according to a study by researchers at Karolinska Institutet in Sweden, published in the journal *JAMA Oncology*. According to the researchers, the result highlights the importance of reproductive counseling and fertility preservation for women who are diagnosed with cancer at a young age.

"Information about the possibilities of having children after [breast cancer](#) treatment, with or without [fertility preservation](#), is very important for women who suffer from breast [cancer](#) at reproductive age," says Anna Marklund, first author of the study and Ph.D. student at the Department of Oncology-Pathology, Karolinska Institutet. "We hope that the conclusions of our study can increase the body of knowledge so that more women with breast cancer who want to have children can make informed decisions in consultation with their doctors."

Breast cancer is the most common type of cancer among women. Nearly 10 percent of breast cancer cases occur in women younger than 45 years of age, some of whom have not had their first child when they receive their diagnosis. Breast cancer treatment often includes chemotherapy, which can damage ovarian tissue, and long-term hormonal treatment, which pushes many into early menopause.

Women with cancer who want to have [biological children](#) in the future are often recommended fertility preservation in the form of the freezing of eggs, embryos, or small pieces of ovarian tissue. In Sweden, such treatments are offered free of charge to women below 40 years of age who have no more than one child and suffer an illness where the treatment poses a risk to fertility.

In this [prospective cohort study](#), the researchers followed all women with breast cancer (425) who had fertility preservation treatment at Swedish university hospitals between 1994 and 2017. They compared childbirth by these women with a matched [control group](#) of 850 breast cancer

patients who did not have fertility preservation.

The study showed that childbirth and treatments with assisted reproduction were 2.3 times and 4.8 times, respectively, more common in the group with fertility preservation. Twenty-three percent of the women with fertility preservation gave birth to at least one child within the average span of 4.6 years after diagnosis, compared with 9 percent of the women in the control group who were followed for an average of 4.8 years. Of the women who were followed for 10 years, 41 percent in the group with fertility preservation had at least one child while the corresponding number for the women without fertility preservation treatment was only 16 percent.

One interesting finding in this study is that the mortality rate was lower in the fertility preservation group (5.3 percent), compared with the control group (11.1 percent). It is, however, not possible to draw any conclusions about causality based on the register data the researchers analyzed, since only total survival, not disease-specific survival, was included.

A limitation of the study was a lack of information about why the [women](#) in the control group didn't have fertility preservation treatment and whether they wanted to have children when they received their breast cancer diagnosis.

"It is possible that the desire, and not just the ability, to have children differed between the groups and that this, at least to some degree, explains the difference in childbirths. This is something that future research will have to expand on," says Kenny Rodriguez-Wallberg, the study's senior author and researcher at the Department of Oncology-Pathology, Karolinska Institutet. "We can, however, draw the conclusion that fertility preservation is safe in [breast cancer patients](#) and that there is a link between this treatment and the probability of having children

after breast cancer."

**More information:** Marklund et al., Reproductive outcome after breast cancer in women with versus without fertility preservation. *JAMA Oncology* (2020). [DOI: 10.1001/jamaoncol.2020.5957](https://doi.org/10.1001/jamaoncol.2020.5957)

Provided by Karolinska Institutet

Citation: Frozen eggs and ovarian tissue helped women conceive children after breast cancer (2020, November 19) retrieved 2 May 2024 from <https://medicalxpress.com/news/2020-11-frozen-eggs-ovarian-tissue-women.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--