

Autism study suggests connection between repetitive behaviors, gut problems

December 3 2020, by Misti Crane



Credit: CC0 Public Domain

In children with autism, repetitive behaviors and gastrointestinal problems may be connected, new research has found.



The study found that increased severity of other <u>autism</u> symptoms was also associated with more severe constipation, stomach pain and other gut difficulties.

The research, which appears in the journal *Autism*, found no association between social and communication difficulties and gastrointestinal symptoms.

The study doesn't explain the biological mechanism for the relationship between repetitive behaviors, such as rocking back and forth and hand flapping, and gut problems. But it helps establish that gastrointestinal symptoms may exacerbate repetitive behaviors, or vice versa, a finding that could one day help lead to helpful interventions, said Payal Chakraborty, a graduate student in The Ohio State University College of Public Health who led the study.

Children with <u>autism spectrum disorder</u> are more likely than their typically developing peers to experience a range of gastrointestinal abnormalities, including chronic diarrhea, constipation, food sensitivities and abdominal pain. These symptoms have been associated with higher levels of irritability and aggressive behavior, but less is known about their relationship with other autism spectrum disorder symptoms.

"In the general population, there's a fair amount of evidence about the connection between mood and mental disorders and gastrointestinal difficulties. In autism, we wonder if the gut problems children experience are a core part of the disease itself or whether they're brought on by other symptoms that children with autism experience," Chakraborty said.

Chakraborty began the study as a student at Duke University, where she worked at the Center for Autism and Brain Development and became interested in the potential connection between the gut and other



characteristics of the developmental disability.

Using data from a study designed to test the viability of cord blood transplants as an autism treatment, Chakraborty looked at detailed clinical measures and reports provided by the families of 176 children who were two to seven years old to see if she could find any insights into the drivers of gastrointestinal problems. Almost all of the children, 93%, had at least one gastrointestinal symptom.

"GI problems are a significant issue for many people with autism and there's evidence that these symptoms might exacerbate certain autism behaviors, which can lead to greater developmental challenges," she said.

The specifics of the relationship are unclear, but it's possible that repetitive behaviors in children with autism could be a coping mechanism that helps them manage their gastrointestinal discomfort, Chakraborty said, adding that the symptoms of autism often emerge at a time when children aren't in a position to adequately communicate their physical suffering with words.

"Gastrointestinal problems are a major concern for many <u>children</u> with autism and we still have a lot to learn about the complicated gut/brain axis," she said.

More information: Payal Chakraborty et al. Gastrointestinal problems are associated with increased repetitive behaviors but not social communication difficulties in young children with autism spectrum disorders, *Autism* (2020). DOI: 10.1177/1362361320959503

Provided by The Ohio State University



Citation: Autism study suggests connection between repetitive behaviors, gut problems (2020, December 3) retrieved 20 April 2024 from https://medicalxpress.com/news/2020-12-autism-repetitive-behaviors-gut-problems.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.